



# Stockport JSNA

joint strategic needs assessment



## 2015 JSNA

Outcomes Frameworks  
April 2016

2	<a href="#">Summary</a>
3	<a href="#">CCG Outcomes Framework</a>
7	<a href="#">NHS Outcomes Framework – Local Authority</a>
10	<a href="#">Public Health Outcomes Framework</a>
15	<a href="#">Adult Social Care Outcomes Framework</a>

## Summary

The following briefing summarises the key national outcome framework performance profiles for Stockport, highlighting areas of good practice as well as areas of concern.

A consistent theme across all frameworks are that outcomes where Stockport performs poorly relate to **alcohol and liver disease** and indicators which are based on **emergency or unplanned admissions to hospital**.

A national outcome framework for the health and wellbeing of children has yet to be developed, but there are indicators within the Public Health Outcome Framework which are specifically targeted at these groups.

## CCG Outcomes Framework for Stockport – December 2015



The following pages show a spine chart summary of the key indicators from the CCG Outcome Framework for Stockport, taken from the national tool in December 2015; for data updates visit <http://cggtools.england.nhs.uk/ccgoutcomes/flash/atlas.html>. Data is presented by CCG registered population.

The demographic context set out in the analysis confirms the trends identified in other parts of this JSNA, that Stockport's population is older than average, and has particularly low levels of population in the 20-29 age group. For most long term conditions and diseases Stockport has average prevalence rates; however rates are higher for asthma, heart failure due to left ventricular dysfunction (LVD) and dementia and lower for chronic kidney disease and rheumatoid arthritis. For a full analysis of disease prevalence see the separate JSNA analysis.

The table below summarises the indicators where Stockport performs in either the best or worst quartile nationally – for all other indicators current performance levels are similar to the national average. Key messages arising from this analysis are that **outcomes relating to liver disease and hospital admissions are the ones on which Stockport performs poorly**. These are areas where performance has been consistently lower than average.

In best quartile nationally	In worst quartile nationally
<b>Domain 1 – Preventing people from dying prematurely</b>	
<ul style="list-style-type: none"> <li>One year survival from all cancers combined</li> <li>One year survival from breast, lung and colorectal cancers</li> <li>Record of stage of cancer at diagnosis</li> </ul>	<ul style="list-style-type: none"> <li>Myocardial infarction, stroke and stage 5 kidney disease in people with diabetes</li> <li>Emergency admissions for alcohol related liver disease</li> <li>All cause mortality – 12 months following a first emergency admission to hospital for heart failure aged 16+</li> </ul>
<b>Domain 2 – Enhancing the quality of life for people with long-term conditions</b>	
<ul style="list-style-type: none"> <li>Proportion of people feeling supported to manage their condition</li> <li>Access to community mental health services by people from BME groups</li> <li>Health related quality of life for carers aged 18+</li> </ul>	<ul style="list-style-type: none"> <li>Unplanned hospitalisation for chronic ambulatory care sensitive conditions</li> <li>Unplanned hospitalisation for asthma, diabetes and epilepsy (under 19s)</li> <li>Complications associated with diabetes</li> <li>Access to psychological therapies by people from BME groups</li> </ul>
<b>Domain 3 – Helping people to recover from episodes of ill health or following injury</b>	
<ul style="list-style-type: none"> <li>Elective knee replacement procedures – patient reported outcome measures</li> <li>Hip fracture timely surgery</li> </ul>	<ul style="list-style-type: none"> <li>Emergency admissions for acute conditions that should not usually require admission</li> <li>People who have had an acute stroke who receive thrombolysis</li> <li>People with stroke who are discharged with a joint health and social care plan</li> <li>Alcohol specific hospital admissions</li> <li>Emergency alcohol specific readmissions to any hospital within 30 days of discharge from hospital following an alcohol specific admission</li> <li>Unplanned readmissions to mental health services within 30 days of a mental health inpatient discharge, aged 17+</li> <li>Percentage of adults in contact with secondary mental health services in employment</li> </ul>
<b>Domain 4 – Ensuring that people have a positive experience of care</b>	
<ul style="list-style-type: none"> <li>Patient experience of GP out-of-hours services</li> </ul>	<ul style="list-style-type: none"> <li>Responsiveness to inpatients' personal needs</li> </ul>
<b>Domain 5 – Treating and caring for people in a safe environment and protecting them from harm</b>	
<i>No indicators are in best quartile in Stockport</i>	<i>No indicators are in worst quartile in Stockport</i>

## CCG Outcomes Framework for Stockport – December 2015

Indicator	Value	England	Cluster	England Min	Spine chart	England Max
▼ CCG Demographic data						
NHS CCG Cluster (provisional)	Cube	n/a	n/a			
IMD 2015 score	19.1	22.0	26.6	5.7		51.5
Registered population	304,306	270,198	214,879	73,574		913,680
% of Population age 0-9	11.8	11.9	12.1	8.4		18.1
% of Population age 10-19	10.8	11.2	11.3	8.0		15.9
% of Population age 20-29	11.8	13.8	12.9	8.9		28.2
% of Population age 30-39	13.1	13.8	12.8	8.8		25.0
% of Population age 40-49	14.5	14.2	14.2	11.6		17.4
% of Population age 50-59	13.8	12.9	13.5	7.0		15.5
% of Population age 60-69	11.24	10.57	11.15	4.12		16.24
% of Population age 70-79	7.82	7.20	7.54	2.50		12.04
% of Population age 80+	5.12	4.59	4.55	1.46		8.13
▼ CCG Disease prevalence % (QOF)						
Coronary Heart Disease	3.87	3.25	3.88	1.33		5.21
Stroke or Transient Ischaemic Attacks (TIA)	2.02	1.73	1.95	0.74		2.62
Hypertension	14.4	13.8	14.9	7.8		18.4
Chronic Obstructive Pulmonary Disease	2.21	1.82	2.45	0.77		3.72
Hypothyroidism	3.34	3.26	3.51	1.38		5.05
Cancer	2.45	2.26	2.31	0.76		3.49
Mental Health	0.82	0.88	0.89	0.51		1.51
Asthma	6.52	5.99	6.37	3.62		7.81
Heart Failure	0.90	0.72	0.85	0.31		1.47
Heart Failure Due to LVD	0.55	0.39	0.48	0.15		0.96
Palliative Care	0.28	0.31	0.34	0.08		0.84
Dementia	0.88	0.74	0.80	0.29		1.37
Atrial Fibrillation	1.89	1.63	1.71	0.41		2.84
Cardiovascular Disease Primary Prevention	1.15	1.07	1.08	0.66		1.52
Diabetes Mellitus (Diabetes) (ages 17+)	5.96	6.37	6.88	3.57		9.74
Epilepsy (ages 18+)	0.83	0.79	0.94	0.44		1.17
Depression (ages 18+)	7.50	7.33	8.22	3.62		13.31
Chronic Kidney Disease (ages 18+)	3.17	4.13	4.66	1.55		7.99
Obesity (ages 16+)	8.84	9.03	10.86	4.01		14.11
Learning Disabilities (ages 18+)	0.48	0.44	0.52	0.18		0.79
Peripheral Arterial Disease (PAD)	0.73	0.63	0.82	0.24		1.20
Osteoporosis (ages 50+)	0.18	0.18	0.17	0.07		0.35
Rheumatoid arthritis (16+)	0.58	0.73	0.80	0.40		1.21



# CCG Outcomes Framework for Stockport – December 2015



Indicator	Value	England	Cluster	England Min	Spine chart	England Max
▼ CCG Outcomes Indicator Set- domain 1						
1.1 Potential years of life lost (PYLL) from causes considered amenable to healthcare - Female	1,778	↓	1,869	2,122	1,055	3,204
1.1 Potential years of life lost (PYLL) from causes considered amenable to healthcare - Male	2,331	↑	2,266	2,742	1,325	3,902
1.2 Under 75 mortality rates from cardiovascular disease	55.7	↓	63.7	77.0	35.7	127.2
1.4 Myocardial infarction, stroke and stage 5 chronic kidney disease in people with diabetes	137.9	↑	100.0	99.2	59.8	202.7
1.5 Mortality within 30 days of hospital admission for stroke	1.12		1.19	1.25	0.38	2.90
1.6 Under 75 mortality rates from respiratory disease	24.5	↑	27.6	35.9	11.0	61.0
1.7 Under 75 mortality rates from liver disease	16.4	↓	15.8	20.9	4.2	36.0
1.8 Emergency admissions for alcohol related liver disease	45.7	↑	26.7	38.9	4.6	81.9
1.9 Under 75 mortality rates from cancer	127	↑	121	139	84	172
1.10 One-year survival from all cancers	70.8	↓	67.8	67.1	61.8	76.3
1.11 One-year survival from breast, lung and colorectal cancers	71.8	↓	69.3	68.7	62.1	76.2
1.14 Maternal smoking at delivery	11.70	↑	11.13	16.30	0.00	28.70
1.15 Breast feeding prevalence at 6 - 8 weeks	46.9	↓	44.6	32.6	21.0	81.7
1.17 Record of stage of cancer at diagnosis	81.7	↑	70.8	73.1	38.9	86.0
1.18 Percentage of cancers detected at stage 1 and 2	46.6	↓	45.7	45.6	21.3	60.6
1.19 Record of lung cancer stage at decision to treat	94.7		92.7	93.0	37.0	100.0
1.20 Mortality from breast cancer in females	35.8	↓	34.6	34.9	21.7	47.2
1.21 All-cause mortality – 12 months following a first emergency admission to hospital for heart failure in people aged 16 and over	108.3	↓	100.0	103.0	74.3	124.7
1.22 Hip fracture: incidence	458	↑	436	483	50	589
▼ CCG Outcomes Indicator Set- domain 2						
2.1 Health-related quality of life for people with long-term conditions	0.75	↓	0.74	0.71	0.63	0.81
2.2 Proportion of people who are feeling supported to manage their condition	68.9	↓	64.4	65.2	50.6	75.3
2.5 People with diabetes diagnosed less than a year referred to structured education	14.40	↓	19.01	19.87	0.00	66.10
2.6 Unplanned hospitalisation for chronic ambulatory care sensitive conditions	1,155	↑	809	1,016	145	1,569
2.7 Unplanned hospitalisation for asthma, diabetes and epilepsy in under 19s	487	↑	327	399	77	751
2.8 Complications associated with diabetes	123.1	↓	100.0	118.7	63.8	164.3
2.9 Access to community mental health services by people from Black and Minority Ethnic (BME) groups	2,289	↓	2,201	2,082	658	5,283
2.10 Access to psychological therapies services by people from Black and Minority Ethnic (BME) groups	267	↓	719	715	0	2,882
2.11a Percentage of referrals to Improving Access to Psychological Therapies (IAPT) services which indicated a reliable recovery following completion of treatment	39.3		42.3	41.0	18.5	65.6
2.11b Percentage of referrals to Improving Access to Psychological Therapies (IAPT) services which indicated a reliable improvement following completion of treatment	54.8	↓	59.8	59.3	30.6	72.4
2.11c Percentage of referrals to Improving Access to Psychological Therapies (IAPT) services which indicator a reliable deterioration following completion of treatment	12.00		10.00	11.33	4.30	44.60
2.15 Health-related quality of life for carers, aged 18 and above	0.82	↓	0.80	0.79	0.72	0.85
2.16 Health-related quality of life for people with a long-term mental health condition	0.56	↓	0.53	0.48	0.34	0.75





























































● NHS Stockport CCG

In worst quartile ● In IQ range ● In best quartile ● Sig change ↓ ↓ ↓ ↑ ↑ ↑ Non-sig change ↓ ↓ ↓ ↑ ↑ ↑ No change –

England Mean | Cluster mean ◆ Lower quartile ■ Worse outcomes ■ Interquartile range ■ Better outcomes ■ Upper quartile ■

– +

## CCG Outcomes Framework for Stockport – December 2015

Indicator	Value	England	Cluster	England Min	Spine chart	England Max
▼ CCG Outcomes Indicator Set- domain 3						
3.1 Emergency admissions for acute conditions that should not usually require hospital admission	1,666  	1,272	1,604	265		2,326
3.2 Emergency readmissions within 30 days of discharge from hospital	12.5  	11.9	12.4	8.9		14.5
3.3 Elective Hip replacement (Primary) procedures - patient reported outcomes measures (PROMS)	0.44  	0.43	n/a	0.34		0.50
3.3 Elective knee replacement (Primary) procedures - patient reported outcomes measures (PROMS)	0.35  	0.32	n/a	0.21		0.37
3.3 Elective groin hernia procedures - patient reported outcomes measures (PROMS)	0.07  	0.09	n/a	0.02		0.13
3.3 Elective varicose veins procedures - patient reported outcomes measures (PROMS)	n/a	0.09	n/a	-0.02		0.16
3.4 Emergency admissions for children with lower respiratory tract infections	324  	395	486	98		695
3.5 People who have had a stroke who are admitted to an acute stroke unit within 4 hours of arrival to hospital	67.2 	59.9	61.2	21.7		84.5
3.6 People who have had an acute stroke who receive thrombolysis	7.20 	11.60	10.42	2.80		32.70
3.7 People with stroke who are discharged from hospital with a joint health and social care plan	46.7 	69.1	62.1	0.0		100.0
3.8 People who have a follow-up assessment between 4 and 8 months after initial admission for stroke	2.10 	16.30	24.63	0.00		94.40
3.9 People who have had an acute stroke who spend 90% or more of their stay on a stroke unit	85.9 	83.6	83.8	65.9		94.9
3.10.i Hip fracture: proportion of patients recovering to their previous levels of mobility/walking ability at 30 days	n/a	25.0	22.5	0.0		77.8
3.10.ii Hip fracture: proportion of patients recovering to their previous levels of mobility/walking ability at 120 days	n/a	49.8	40.9	0.0		85.7
3.11 Hip fracture: collaborative orthogeriatric care	98.4 	93.6	93.1	38.5		100.0
3.12 Hip fracture: timely surgery	81.1 	74.9	72.2	47.0		93.0
3.13 Hip fracture: multifactorial falls risk assessment	99.3 	96.9	95.4	28.0		100.0
3.14 Alcohol-specific hospital admissions	191.8  	115.7	162.4	30.4		312.4
3.15 Emergency alcohol-specific readmission to any hospital within 30 days of discharge following an alcohol-specific admission	130.0  	100.0	104.8	25.9		187.5
3.16 Unplanned readmissions to mental health services within 30 days of a mental health inpatient discharge in people aged 17 and over	134.1  	100.0	94.9	20.9		317.5
3.17 Percentage of adults in contact with secondary mental health services in employment	0.40  	6.00	5.42	0.10		24.10
▼ CCG Outcomes Indicator Set- domain 4						
4.1 Patient experience of GP out-of-hours services	80.9  	68.6	71.5	49.0		85.3
4.2 Patient experience of hospital care	75.2 	76.5	77.6	69.9		83.3
4.5 Responsiveness to Inpatients personal needs	65.7 	68.4	69.6	58.8		79.2
▼ CCG Outcomes Indicator Set- domain 5						
5.3 Incidence of Healthcare Associated Infection (HCAI) – Methicillin-resistant Staphylococcus aureus (MRSA)	2.63 	2.91	3.11	0.00		8.23
5.4 Incidence of Healthcare Associated Infection (HCAI) – C. difficile	55.5 	48.3	57.6	19.0		101.9

## NHS Outcomes Framework for Stockport – December 2015



The following pages show a spine chart summary of the key indicators from the NHS Outcomes Framework for Stockport, taken from the national tool in December 2015; for data updates visit <http://ccgtools.england.nhs.uk/ccgoutcomes/flash/atlas.html>. Data is presented by LA resident population.



The demographic context set out in the analysis confirms the trends identified in other parts of this JSNA, that Stockport's population is older than average, and has particularly low levels of population in the 20-29 age group.

The table below summarises the indicators where Stockport performs in either the best or worst quartile nationally – for all other indicators current performance levels are similar to the national average. Key messages arising from this analysis are that **outcomes relating hospital admissions are the ones on which Stockport performs poorly**. These are areas where performance has been consistently lower than average.

In best quartile nationally	In worst quartile nationally
<b>Domain 1 – Preventing people from dying prematurely</b>	
<ul style="list-style-type: none"> <li>Life expectancy at 75 - male</li> </ul>	<i>No indicators are in worst quartile in Stockport</i>
<b>Domain 2 – Enhancing the quality of life for people with long-term conditions</b>	
<ul style="list-style-type: none"> <li>Proportion of people feeling supported to manage their condition</li> <li>Health related quality of life for carers</li> </ul>	<ul style="list-style-type: none"> <li>Unplanned hospitalisation for chronic ambulatory care sensitive conditions</li> <li>Unplanned hospitalisation for asthma, diabetes and epilepsy (under 19s)</li> <li>Employment of people with mental illness</li> </ul>
<b>Domain 3 – Helping people to recover from episodes of ill health or following injury</b>	
<i>No indicators are in best quartile in Stockport</i>	<ul style="list-style-type: none"> <li>Emergency admissions for acute conditions that should not usually require admission</li> </ul>
<b>Domain 4 – Ensuring that people have a positive experience of care</b>	
<ul style="list-style-type: none"> <li>Patient experience of GP out-of-hours services</li> </ul>	<i>No indicators are in worst quartile in Stockport</i>




## NHS Outcomes Framework for Stockport – December 2015





## NHS Outcomes Framework for Stockport – December 2015

Indicator	Value	England	Cluster	England Min	Spine chart	England Max
▼ NHS Outcomes Framework - domain 2						
2 Health-related quality of life for those with long term conditions	0.75	0.74	0.72	0.63		0.82
2.1 Proportion of people feeling supported to manage their condition	68.6	64.4	65.7	50.7		73.0
2.2 Employment of people with long-term conditions	9.7	13.2	15.1	-7.0		31.0
2.3.i Unplanned hospitalisation for chronic ambulatory care sensitive conditions	1,111	800	982	217		1,513
2.3.ii Unplanned hospitalisation for asthma, diabetes and epilepsy in under 19s	496	313	378	0		743
2.4 Health-related quality of life for carers	0.82	0.80	0.79	0.73		0.85
2.5.i Employment of people with mental illness (formerly indicator 2.5)	26.9	35.8	36.0	-6.3		69.2
▼ NHS Outcomes Framework - domain 3						
3a Emergency admissions for acute conditions that should not usually require hospital admission	1,621	1,196	1,545	255		2,287
3b Emergency readmissions within 30 days of discharge from hospital	12.5	11.8	12.4	7.9		14.5
3.2 Emergency admissions for children with lower respiratory tract infections (LRTIs)	403	356	448	68		646
3.6.i Proportion of older people (65 and over) who were still at home 91 days after discharge from hospital into reablement/rehabilitation services	87.5	82.1	83.7	48.1		100.0
3.6.ii Proportion of older people (65 and over) who were offered rehabilitation following discharge from acute or community hospital	3.10	3.10	2.77	0.70		11.70
▼ NHS Outcomes Framework - domain 4						
4a.i Patient experience of GP services	87.0	84.8	85.5	72.0		92.5
4a.ii Patient experience of GP out-of-hours services	80.9	68.6	71.3	51.9		89.4
4a.iii Patient experience of dental services	86.2	84.6	86.8	55.2		91.6
4.4.i Access to GP services	75.8	73.3	73.5	55.3		90.4
4.4.ii Access to NHS dental services	96.3	95.0	96.0	87.5		98.6



## Public Health Outcomes Framework for Stockport – November 2015



The following pages show a spine chart summary of the key indicators from the Public Health Outcomes Framework for Stockport, taken from the national tool in November 2015; for data updates visit <http://www.phoutcomes.info/>. Data is presented by LA resident population.

The table below summarises the indicators where Stockport performs in either the best or worst quartile nationally – for all other indicators current performance levels are similar to the national average. Key messages arising from this analysis are that **Stockport performs better than average on a range of measures, especially in health protection, however outcomes relating to hospital admissions, liver disease and certain cancer screening are the ones on which Stockport performs poorly**. These are areas where performance has been consistently lower than average.

In best quartile nationally	In worst quartile nationally
<b>Overarching Indicators</b>	
<ul style="list-style-type: none"> <li>Healthy life expectancy at birth - male</li> <li>Healthy life expectancy at birth - female</li> <li>Life expectancy at 65 – male</li> </ul>	<i>No indicators are in worst quartile in Stockport</i>
<b>Domain 1 – Wider Determinants of Health</b>	
<ul style="list-style-type: none"> <li>Children in poverty</li> <li>School readiness – all children</li> <li>First time entrants into youth justice system</li> <li>Killed and seriously injured casualties on roads</li> <li>Rates of complaints about noise</li> <li>Statutory homeless in temporary accommodation</li> <li>Fuel Poverty</li> <li>Social isolation of carers</li> </ul>	<ul style="list-style-type: none"> <li>School readiness - children with free school meals status</li> <li>Violent crime – hospital admissions for violence</li> </ul>
<b>Domain 2 – Health Improvement</b>	
<ul style="list-style-type: none"> <li>Breastfeeding at 6-8 weeks</li> <li>Child obesity for 10-11 year olds</li> <li>Cancer screening coverage - cervical cancer</li> <li>Screening coverage – new-born blood spot, diabetic retinopathy, AAA, NHS Health Check</li> </ul>	<ul style="list-style-type: none"> <li>Hospital admissions caused by injuries in children and young people (aged 0-24)</li> <li>Admission episodes for alcohol related conditions</li> <li>Cancer screening coverage – breast cancer</li> <li>Cancer screening coverage – bowel cancer</li> <li>Injuries due to falls in people aged 65+ (hospital admissions)</li> </ul>
<b>Domain 3 – Health protection</b>	
<ul style="list-style-type: none"> <li>Chlamydia protection rate</li> <li>Vaccination coverage</li> <li>Incidence of TB</li> </ul>	<i>No indicators are in worst quartile in Stockport</i>
<b>Domain 3 – Healthcare and premature mortality</b>	
<ul style="list-style-type: none"> <li>Tooth decay in children aged 5</li> <li>Under 75 mortality rate from all cardiovascular causes and those CVD considered preventable</li> <li>Under 75 mortality rate from all respiratory disease</li> <li>Mortality from communicable disease</li> <li>Health related quality of life for older people</li> </ul>	<ul style="list-style-type: none"> <li>Mortality rate from causes considered preventable</li> <li>Under 75 mortality rate from all liver disease and liver disease considered preventable</li> <li>Suicide rate (<i>one year anomaly</i>)</li> <li>Emergency admissions within 30 days of discharge from hospital</li> </ul>


## Public Health Outcomes Framework for Stockport – November 2015



## Spine Charts

**Key**  
Significance compared to goal / England average:

- Significantly worse
- Significantly lower
- Not significantly different
- Significantly higher
- Significantly better
- Significance not tested



## Overarching indicators

	Period	Local value	Eng. value	Eng. worst	Range	Eng. best
0.1I - Healthy life expectancy at birth (Male)	2011 - 13	65.6	63.3	53.6		71.4
0.1I - Healthy life expectancy at birth (Female)	2011 - 13	65.8	63.9	55.5		71.3
0.1II - Life Expectancy at birth (Male)	2011 - 13	79.7	79.4	74.3		82.6
0.1II - Life Expectancy at birth (Female)	2011 - 13	83.0	83.1	80.0		86.2
0.1II - Life Expectancy at 65 (Male)	2011 - 13	19.2	18.7	16.0		21.1
0.1II - Life Expectancy at 65 (Female)	2011 - 13	21.1	21.1	18.8		24.0
0.2I - Slope Index of Inequality in life expectancy at birth based on national deprivation deciles within England (Male)	2011 - 13		9.1			
0.2I - Slope Index of Inequality in life expectancy at birth based on national deprivation deciles within England (Female)	2011 - 13		6.9			
0.2II - Number of upper tier local authorities for which the local slope index of inequality in life expectancy (as defined in 0.2II) has decreased (Male)	2011 - 13		80			
0.2II - Number of upper tier local authorities for which the local slope index of inequality in life expectancy (as defined in 0.2II) has decreased (Female)	2011 - 13		73			
0.2III - Slope Index of Inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Male)	2011 - 13	10.5	-	2.4		17.3
0.2III - Slope Index of Inequality in life expectancy at birth within English local authorities, based on local deprivation deciles within each area (Female)	2011 - 13	8.2	-	0.6		11.4
0.2IV - Gap in life expectancy at birth between each local authority and England as a whole (Male)	2011 - 13	0.3	0.0	-5.1		3.2
0.2IV - Gap in life expectancy at birth between each local authority and England as a whole (Female)	2011 - 13	-0.1	0.0	-3.1		3.1
0.2V - Slope Index of Inequality in healthy life expectancy at birth based on national deprivation deciles within England (Male)	2011 - 13		19.2			
0.2V - Slope Index of Inequality in healthy life expectancy at birth based on national deprivation deciles within England (Female)	2011 - 13		19.5			
0.2VII - Slope Index of inequality in life expectancy at birth within English regions, based on regional deprivation deciles within each area (Male)	2011 - 13		-			
0.2VII - Slope Index of inequality in life expectancy at birth within English regions, based on regional deprivation deciles within each area (Female)	2011 - 13		-			
Supporting Information - Deprivation score (IMD 2010)	2010	18.9	21.7	5.4		43.4

## Wider determinants of health

	Period	Local value	Eng. value	Eng. worst	Range	Eng. best
1.01I - Children in poverty (all dependent children under 20)	2012	14.6	18.6	39.0		6.4
1.01II - Children in poverty (under 16s)	2012	15.3	19.2	37.9		6.6
1.02I - School Readiness: The percentage of children achieving a good level of development at the end of reception	2013/14	62.1	60.4	41.2		75.3
1.02I - School Readiness: The percentage of children with free school meal status achieving a good level of development at the end of reception	2013/14	39.6	44.8	31.7		68.1
1.02II - School Readiness: The percentage of Year 1 pupils achieving the expected level in the phonics screening check	2013/14	75.4	74.2	64.3		82.5
1.02II - School Readiness: The percentage of Year 1 pupils with free school meal status achieving the expected level in the phonics screening check	2013/14	56.0	61.3	31.8		76.9
1.03 - Pupil absence	2013/14	4.46	4.51	5.64		3.66
1.04 - First time entrants to the youth justice system	2014	251	409	809		133
1.05 - 16-18 year olds not in education employment or training	2014	4.9	4.7	9.0		1.5
1.06I - Adults with a learning disability who live in stable and appropriate accommodation (Persons)	2013/14	89.2	74.9	47.6		94.4
1.06I - Adults with a learning disability who live in stable and appropriate accommodation (Male)	2013/14	90.1	74.5	46.2		94.6
1.06I - Adults with a learning disability who live in stable and appropriate accommodation (Female)	2013/14	87.7	75.4	50.5		94.6
1.06II - % of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Persons)	2013/14	44.8	60.8	10.6		93.1
1.06II - % of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Male)	2013/14	44.0	59.4	11.0		92.6
1.06II - % of adults in contact with secondary mental health services who live in stable and appropriate accommodation (Female)	2013/14	45.7	62.4	15.1		94.1
1.07 - People in prison who have a mental illness or a significant mental illness	2013/14		5.55			
1.08I - Gap in the employment rate between those with a long-term health condition and the overall employment rate	2013/14	8.9	8.7	-2.5		24.2
1.08II - Gap in the employment rate between those with a learning disability and the overall employment rate (Persons)	2013/14	63.3	65.0	46.5		79.2
1.08II - Gap in the employment rate between those with a learning disability and the overall employment rate (Male)	2013/14	64.9	69.5	44.8		82.6
1.08II - Gap in the employment rate between those with a learning disability and the overall employment rate (Female)	2013/14	63.7	60.7	36.8		72.7
1.08III - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (Persons)	2013/14	70.7	64.7	55.2		75.6
1.08III - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (Male)	2013/14	75.9	71.1	57.3		83.7
1.08III - Gap in the employment rate for those in contact with secondary mental health services and the overall employment rate (Female)	2013/14	65.7	58.0	46.1		69.6
1.09I - Sickness absence - The percentage of employees who had at least one day off in the previous week	2010 - 12	2.5	2.5	4.6		0.8
1.09II - Sickness absence - The percent of working days lost due to sickness absence	2010 - 12	1.4	1.6	3.1		0.4
1.10 - Killed and seriously injured (KSI) casualties on England's roads	2012 - 14	18.6	39.3	76.3		15.5
1.11 - Domestic Abuse	2013/14	23.5	19.4	4.9		30.4
1.12I - Violent crime (including sexual violence) - hospital admissions for violence	2011/12 - 13/14	73.4	52.4	148.2		8.2
1.12II - Violent crime (including sexual violence) - violence offences per 1,000 population	2014/15	10.8	13.5	5.2		31.7



## Public Health Outcomes Framework for Stockport – November 2015



### Wider determinants of health continued

	Period	Local value	Eng. value	Eng. worst	Range	Eng. best
1.12III - Violent crime (including sexual violence) - Rate of sexual offences per 1,000 population	2014/15	1.11	1.40	0.76		3.48
1.13I - Re-offending levels - percentage of offenders who re-offend	2012	22.0	25.9	19.9		35.6
1.13II - Re-offending levels - average number of re-offences per offender	2012	0.65	0.77	0.52		1.27
1.14I - The rate of complaints about noise	2013/14	3.1	7.4	76.9		2.4
1.14II - The percentage of the population exposed to road, rail and air transport noise of 65dB(A) or more, during the daytime	2011	5.4	5.2	0.8		20.8
1.14III - The percentage of the population exposed to road, rail and air transport noise of 55 dB(A) or more during the night-time	2011	9.9	8.0	1.2		42.4
1.15I - Statutory homelessness - homelessness acceptances	2013/14	1.1	2.3	0.1		12.5
1.15II - Statutory homelessness - households in temporary accommodation	2013/14	0.2	2.6	29.7		0.0
1.16 - Utilisation of outdoor space for exercise/health reasons	Mar 2013 - Feb 2014	17.5	17.1	0.3		30.8
1.17 - Fuel Poverty	2013	9.2	10.4	18.9		5.6
1.18I - Social Isolation: % of adult social care users who have as much social contact as they would like	2013/14	43.2	44.5	35.4		54.4
1.18II - Social Isolation: % of adult carers who have as much social contact as they would like	2012/13	46.7	41.3	23.9		58.5
1.19I - Older people's perception of community safety - safe in local area during the day	2013/14		96.9			
1.19II - Older people's perception of community safety - safe in local area after dark	2013/14		62.8			
1.19III - Older people's perception of community safety - safe in own home at night	2013/14		93.3			

### Health improvement

	Period	Local value	Eng. value	Eng. worst	Range	Eng. best
2.01 - Low birth weight of term babies	2014	2.3	2.9	5.8		1.6
2.02I - Breastfeeding - Breastfeeding initiation	2014/15	73.8	74.3	47.2		92.9
2.02II - Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth	2014/15	49.9	43.8	19.1		81.5
2.03 - Smoking status at time of delivery	2014/15	11.7	11.4	27.2		2.1
2.04 - Under 18 conceptions	2013	25.9	24.3	43.9		9.2
2.04 - Under 18 conceptions: conceptions in those aged under 16	2013	5.1	4.8	10.9		1.4
2.06I - Excess weight in 4-5 and 10-11 year olds - 4-5 year olds	2013/14	21.1	22.5	29.5		15.9
2.06II - Excess weight in 4-5 and 10-11 year olds - 10-11 year olds	2013/14	30.2	33.5	43.8		24.4
2.07I - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-14 years)	2013/14	142.6	112.2	214.1		64.4
2.07II - Hospital admissions caused by unintentional and deliberate injuries in children (aged 0-4 years)	2013/14	186.3	140.8	316.4		67.6
2.07III - Hospital admissions caused by unintentional and deliberate injuries in young people (aged 15-24)	2013/14	188.5	136.7	291.8		69.6
2.08 - Emotional well-being of looked after children	2013/14	14.1	13.9	10.5		22.3
2.09I - Smoking prevalence at age 15 - current smokers (WAY survey)	2014/15	7.1	8.2	14.9		3.4
2.09II - Smoking prevalence at age 15 - regular smokers (WAY survey)	2014/15	4.4	5.5	11.1		1.3
2.09III - Smoking prevalence at age 15 - occasional smokers (WAY survey)	2014/15	2.6	2.7	7.6		0.6
2.09IV - Smoking prevalence at age 15 years - regular smokers (SDD survey)	2014		8			

### Health improvement continued

	Period	Local value	Eng. value	Eng. worst	Range	Eng. best
2.09v - Smoking prevalence at age 15 years - occasional smokers (SDD survey)	2014		5			
2.11I - Proportion of the population meeting the recommended '5-a-day'	2014	55.2	53.5	36.2		64.2
2.11II - Average number of portions of fruit consumed daily	2014	2.57	2.58	2.18		2.92
2.11III - Average number of portions of vegetables consumed daily	2014	2.31	2.27	1.70		2.64
2.12 - Excess Weight in Adults	2012 - 14	64.3	64.6	74.8		46.0
2.13I - Percentage of physically active and inactive adults - active adults	2014	57.2	57.0	45.1		71.2
2.13II - Percentage of physically active and inactive adults - inactive adults	2014	29.2	27.7	39.3		15.7
2.14 - Smoking Prevalence	2014	17.1	18.0	26.9		9.8
2.14 - Smoking prevalence - routine & manual	2014	30.8	28.0	41.1		14.0
2.15I - Successful completion of drug treatment - opiate users	2014	8.0	7.4	3.6		14.9
2.15II - Successful completion of drug treatment - non-opiate users	2014	44.4	39.2	12.0		58.5
2.16 - People entering prison with substance dependence issues who are previously not known to community treatment	2012/13	45.6	46.9	69.8		19.7
2.17 - Recorded diabetes	2013/14	5.9	6.2	3.7		8.7
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Persons)	2013/14	713	645	1231		366
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Male)	2013/14	940	835	1538		474
2.18 - Admission episodes for alcohol-related conditions - narrow definition (Female)	2013/14	506	475	940		274
2.19 - Cancer diagnosed at early stage (Experimental Statistics)	2013	46.6	45.7	38.7		57.9
2.20I - Cancer screening coverage - breast cancer	2015	73.3	75.4	56.3		84.5
2.20II - Cancer screening coverage - cervical cancer	2015	76.0	73.5	56.5		79.6
2.20III - Cancer screening coverage - bowel cancer	2015	56.2	57.1	37.3		66.0
2.21I - Antenatal infectious disease screening - HIV coverage	2013/14		98.9			
2.21II - Antenatal screening for Hepatitis B - coverage	2013		97.9			
2.21III - Antenatal screening for syphilis - coverage	2013		98.0			
2.21III - Antenatal Sickle Cell and Thalassaemia Screening - coverage	2013/14		98.9			
2.21IV - Newborn bloodspot screening - coverage	2013/14	95.7 ^	93.5	81.9		99.9
2.21V - Newborn Hearing screening - Coverage	2013/14	98.8	98.5	92.7		99.9
2.21VII - Access to non-cancer screening programmes - diabetic retinopathy	2012/13	80.1 ^	79.1	66.0		94.8
2.21VIII - Abdominal Aortic Aneurysm Screening	2013/14	97.7	95.9	39.3		100
2.22II - Cumulative % of the eligible population aged 40-74 offered an NHS Health Check	2013/14 - 14/15	44.9	37.9	8.1		95.8
2.22IV - Cumulative % of the eligible population aged 40-74 offered an NHS Health Check who received an NHS Health Check	2013/14 - 14/15	73.7	48.9	21.3		100.0
2.22V - Cumulative % of the eligible population aged 40-74 who received an NHS Health check	2013/14 - 14/15	33.1	18.6	5.7		44.7
2.23I - Self-reported well-being - people with a low satisfaction score	2013/14	5.2	5.6	12.7		3.3
2.23II - Self-reported well-being - people with a low worthwhile score	2013/14	- ^	4.2	7.7		2.9
2.23III - Self-reported well-being - people with a low happiness score	2013/14	9.2	9.7	15.0		5.8
2.23IV - Self-reported well-being - people with a high anxiety score	2013/14	20.9	20.0	29.3		9.3
2.23v - Average Warwick-Edinburgh Mental Well-Being Scale (WEMWBS) score	2010 - 12		37.7			
2.24I - Injuries due to falls in people aged 65 and over (Persons)	2013/14	2668	2064	3420		1320
2.24I - Injuries due to falls in people aged 65 and over (Male)	2013/14	2140	1661	2933		907



# Public Health Outcomes Framework for Stockport – November 2015



## Health improvement continued

	Period	Local value	Eng. value	Eng. worst	Range	Eng. best
2.24i - Injuries due to falls in people aged 65 and over (Female)	2013/14	3195	2467	3907		1651
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (Persons)	2013/14	1251	989	1865		619
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (Male)	2013/14	1025	799	1664		478
2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79 (Female)	2013/14	1477	1180	2067		687
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (Persons)	2013/14	6776	5182	8744		3344
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (Male)	2013/14	5376	4162	7663		2149
2.24iii - Injuries due to falls in people aged 65 and over - aged 80+ (Female)	2013/14	8176	6201	9825		4133

## Health protection

	Period	Local value	Eng. value	Eng. worst	Range	Eng. best
3.01 - Fraction of mortality attributable to particulate air pollution	2013	4.9	5.3	3.5		7.9
3.02 - Chlamydia detection rate (15-24 year olds)	2014	2716	2012	945		4270
3.02 - Chlamydia detection rate (15-24 year olds) (Male)	2014	1700	1355	599		3016
3.02 - Chlamydia detection rate (15-24 year olds) (Female)	2014	3751	2664	1114		5539
3.03i - Population vaccination coverage - Hepatitis B (1 year old)	2013/14	- *	-	13.6		100
3.03i - Population vaccination coverage - Hepatitis B (2 years old)	2013/14	- *	-	9.6		100
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (1 year old)	2013/14	95.9	94.3	78.6		98.4
3.03iii - Population vaccination coverage - Dtap / IPV / Hib (2 years old)	2013/14	97.7	96.1	81.6		99.1
3.03iv - Population vaccination coverage - MenC	2012/13	96.3	93.9	75.9		98.8
3.03v - Population vaccination coverage - PCV	2013/14	95.5	94.1	78.2		98.3
3.03vi - Population vaccination coverage - Hib / MenC booster (2 years old)	2013/14	94.1	92.5	76.6		98.1
3.03vi - Population vaccination coverage - Hib / Men C booster (5 years)	2013/14	91.3	91.9	72.7		98.1
3.03vii - Population vaccination coverage - PCV booster	2013/14	93.0	92.4	76.4		98.5
3.03viii - Population vaccination coverage - MMR for one dose (2 years old)	2013/14	93.7	92.7	78.3		98.3
3.03ix - Population vaccination coverage - MMR for one dose (5 years old)	2013/14	97.2	94.1	74.8		98.6
3.03x - Population vaccination coverage - MMR for two doses (5 years old)	2013/14	92.7	88.3	63.8		97.4
3.03xii - Population vaccination coverage - HPV	2013/14	91.9	86.7	51.1		96.6
3.03xiii - Population vaccination coverage - PPV	2013/14	73.3	68.9	52.8		77.6

## Health protection continued

	Period	Local value	Eng. value	Eng. worst	Range	Eng. best
3.03xiv - Population vaccination coverage - Flu (aged 65+)	2014/15	80.1	72.7	61.7		80.1
3.03xv - Population vaccination coverage - Flu (at risk individuals)	2014/15	63.3	50.3	38.4		63.6
3.04 - HIV late diagnosis	2012 - 14	37.8	42.2	70.0		0.0
3.05i - Treatment completion for TB	2013	- *	84.8	50.0		100
3.05ii - Incidence of TB	2012 - 14	6.0	13.5	100.0		1.6
3.06 - NHS organisations with a board approved sustainable development management plan	2013/14	33.3	41.6	0.0		83.3
3.07 - Comprehensive, agreed Inter-agency plans for responding to health protection incidents and emergencies	2014/15	100	95.2	0.0		100

## Healthcare and premature mortality

	Period	Local value	Eng. value	Eng. worst	Range	Eng. best
4.01 - Infant mortality	2011 - 13	3.9	4.0	7.1		1.3
4.02 - Tooth decay in children aged 5	2011/12	0.63	0.94	2.10		0.35
4.03 - Mortality rate from causes considered preventable (Persons)	2012 - 14	193.5	182.7	317.5		128.6
4.03 - Mortality rate from causes considered preventable (Male)	2012 - 14	236.0	230.1	401.4		156.3
4.03 - Mortality rate from causes considered preventable (Female)	2012 - 14	152.4	138.4	238.6		97.9
4.04i - Under 75 mortality rate from all cardiovascular diseases (Persons)	2012 - 14	69.1	75.7	135.0		48.0
4.04i - Under 75 mortality rate from all cardiovascular diseases (Male)	2012 - 14	96.4	106.2	180.9		69.1
4.04i - Under 75 mortality rate from all cardiovascular diseases (Female)	2012 - 14	43.1	46.9	91.4		28.9
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Persons)	2012 - 14	44.1	49.2	88.6		27.6
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Male)	2012 - 14	65.7	74.1	129.4		43.3
4.04ii - Under 75 mortality rate from cardiovascular diseases considered preventable (Female)	2012 - 14	23.6	25.6	52.0		14.1
4.05i - Under 75 mortality rate from cancer (Persons)	2012 - 14	141.7	141.5	195.6		105.8
4.05i - Under 75 mortality rate from cancer (Male)	2012 - 14	153.2	157.7	224.0		105.5
4.05i - Under 75 mortality rate from cancer (Female)	2012 - 14	131.3	126.6	173.1		96.8
4.05ii - Under 75 mortality rate from cancer considered preventable (Persons)	2012 - 14	84.5	83.0	127.6		54.3
4.05ii - Under 75 mortality rate from cancer considered preventable (Male)	2012 - 14	91.1	90.5	145.5		63.8
4.05ii - Under 75 mortality rate from cancer considered preventable (Female)	2012 - 14	78.5	76.1	115.2		55.6
4.06i - Under 75 mortality rate from liver disease (Persons)	2012 - 14	22.6	17.8	40.3		10.1
4.06i - Under 75 mortality rate from liver disease (Male)	2012 - 14	29.8	23.4	52.4		13.7
4.06i - Under 75 mortality rate from liver disease (Female)	2012 - 14	15.6	12.4	28.1		6.6
4.06ii - Under 75 mortality rate from liver disease considered preventable (Persons)	2012 - 14	20.5	15.7	36.9		8.9
4.06ii - Under 75 mortality rate from liver disease considered preventable (Male)	2012 - 14	27.3	21.0	47.9		12.0
4.06ii - Under 75 mortality rate from liver disease considered preventable (Female)	2012 - 14	14.0	10.6	25.9		5.9
4.07i - Under 75 mortality rate from respiratory disease (Persons)	2012 - 14	26.7	32.6	72.3		18.0

## Public Health Outcomes Framework for Stockport – November 2015

Healthcare and premature mortality continued	Period	Local value	Eng. value	Eng. worst	Range	Eng. best
4.07I - Under 75 mortality rate from respiratory disease (Male)	2012 - 14	28.4	38.3	62.8		21.5
4.07I - Under 75 mortality rate from respiratory disease (Female)	2012 - 14	25.1	27.4	62.8		13.9
4.07II - Under 75 mortality rate from respiratory disease considered preventable (Persons)	2012 - 14	15.9	17.8	47.2		7.3
4.07II - Under 75 mortality rate from respiratory disease considered preventable (Male)	2012 - 14	17.3	20.1	53.5		9.1
4.07II - Under 75 mortality rate from respiratory disease considered preventable (Female)	2012 - 14	14.5	15.7	41.7		7.6
4.08 - Mortality from communicable diseases (Persons)	2012 - 14	49.0	63.2	97.8		40.6
4.08 - Mortality from communicable diseases (Male)	2012 - 14	54.0	74.0	114.2		47.7
4.08 - Mortality from communicable diseases (Female)	2012 - 14	46.7	56.4	94.7		35.0
4.09 - Excess under 75 mortality rate in adults with serious mental illness	2012/13	394.5	347.2	564.2		139.4
4.10 - Suicide rate (Persons)	2012 - 14	11.5	8.9	15.7		4.5
4.10 - Suicide rate (Male)	2012 - 14	18.0	14.1	25.3		7.2
4.10 - Suicide rate (Female)	2012 - 14	- x	4.0	8.2		2.0
4.11 - Emergency readmissions within 30 days of discharge from hospital (Persons)	2011/12	12.5	11.8	14.5		8.8
4.11 - Emergency readmissions within 30 days of discharge from hospital (Male)	2011/12	13.0	12.1	14.9		8.7
4.11 - Emergency readmissions within 30 days of discharge from hospital (Female)	2011/12	11.9	11.5	14.7		8.3
4.12I - Preventable sight loss - age related macular degeneration (AMD)	2013/14	77.1	118.8	14.7		226.8
4.12II - Preventable sight loss - glaucoma	2013/14	10.5	12.9	2.1		33.2
4.12III - Preventable sight loss - diabetic eye disease	2013/14	2.9	3.4	0.0		10.5
4.12IV - Preventable sight loss - sight loss certifications	2013/14	30.2	42.5	8.8		77.2
4.13 - Health related quality of life for older people	2012/13	0.745	0.726	0.636		0.793
4.14I - Hip fractures in people aged 65 and over (Persons)	2013/14	557	580	838		382
4.14I - Hip fractures in people aged 65 and over (Male)	2013/14	375	423	657		295
4.14I - Hip fractures in people aged 65 and over (Female)	2013/14	738	737	1020		465
4.14II - Hip fractures in people aged 65 and over - aged 65-79 (Persons)	2013/14	251	240	388		139
4.14II - Hip fractures in people aged 65 and over - aged 65-79 (Male)	2013/14	160	164	369		82
4.14II - Hip fractures in people aged 65 and over - aged 65-79 (Female)	2013/14	342	316	468		146
4.14III - Hip fractures in people aged 65 and over - aged 80+ (Persons)	2013/14	1443	1566	2280		977
4.14III - Hip fractures in people aged 65 and over - aged 80+ (Male)	2013/14	999	1176	1898		627
4.14III - Hip fractures in people aged 65 and over - aged 80+ (Female)	2013/14	1888	1956	2806		1327
4.15I - Excess Winter Deaths Index (Single year, all ages) (Persons)	Aug 2012 - Jul 2013	27.6	20.1	38.2		-3.3
4.15I - Excess Winter Deaths Index (Single year, all ages) (Male)	Aug 2012 - Jul 2013	30.2	17.5	43.0		-3.6
4.15I - Excess Winter Deaths Index (Single year, all ages) (Female)	Aug 2012 - Jul 2013	25.4	22.6	55.2		-3.0
4.15II - Excess Winter Deaths Index (single year, ages 85+) (Persons)	Aug 2012 - Jul 2013	38.4	28.2	62.9		2.1
4.15II - Excess Winter Deaths Index (single year, ages 85+) (Male)	Aug 2012 - Jul 2013	46.6	26.7	67.8		-27.8
4.15II - Excess Winter Deaths Index (single year, ages 85+) (Female)	Aug 2012 - Jul 2013	34.0	29.1	66.5		1.8
4.15III - Excess Winter Deaths Index (3 years, all ages) (Persons)	Aug 2010 - Jul 2013	17.4	17.4	27.0		4.3

Healthcare and premature mortality continued	Period	Local value	Eng. value	Eng. worst	Range	Eng. best
4.15III - Excess Winter Deaths Index (3 years, all ages) (Male)	Aug 2010 - Jul 2013	19.2	15.5	30.8		6.4
4.15III - Excess Winter Deaths Index (3 years, all ages) (Female)	Aug 2010 - Jul 2013	15.9	19.3	32.7		2.2
4.15IV - Excess Winter Deaths Index (3 years, ages 85+) (Persons)	Aug 2010 - Jul 2013	23.2	24.1	43.1		8.8
4.15IV - Excess Winter Deaths Index (3 years, ages 85+) (Male)	Aug 2010 - Jul 2013	37.5	23.2	46.2		1.7
4.15IV - Excess Winter Deaths Index (3 years, ages 85+) (Female)	Aug 2010 - Jul 2013	16.4	24.6	47.0		7.3
4.16 - Estimated diagnosis rate for people with dementia	2013/14	-	52.5			

## Adult Social Care Outcomes Framework for Stockport – June 2015



The following pages show a spine chart summary of the key indicators from the Adult Social Care for Stockport, taken from the national tool in June 2015; for data updates visit <http://fingertips.phe.org.uk/profile/adultsocialcare/>. Data is presented by LA resident population.

The table below summarises the indicators where Stockport performs in either the best or worst quartile nationally (where value judgements are made)– for all other indicators current performance levels are similar to the national average. Key messages arising from this analysis are that **Stockport performs better than average on a range of measures, especially in quality of life, however outcomes relating hospital admissions and permanent care home admissions the ones on which Stockport performs poorly.** These are areas where performance has been consistently lower than average.


In best quartile nationally	In worst quartile nationally
<b>Domain 1 – People with care and support needs</b>	
<ul style="list-style-type: none"> <li>Index of Deprivation – Older Persons Index</li> <li>% in long term unemployment</li> <li>Prevalence of mental health diagnoses</li> </ul>	<ul style="list-style-type: none"> <li>Prevalence of dementia</li> </ul>
<b>Domain 2 – Enhancing quality of life for people</b>	
<ul style="list-style-type: none"> <li>Proportion of people who receive self-directed support</li> <li>Proportion of people who receive direct payments</li> <li>Adults with learning disabilities in employment and in settled accommodation</li> <li>Adults in contact with mental health services in settled accommodation</li> <li>Proportion of people who use services and their carers who reported that they had as much social contact as they would like</li> <li>% of clients aged 65+ receiving self directed support</li> </ul>	<ul style="list-style-type: none"> <li>Adults in contact with mental health services in employment</li> <li>% of clients aged 18-64 receiving self directed support</li> </ul>
<b>Domain 3 – Delaying and reducing the need for care and support</b>	
<ul style="list-style-type: none"> <li>% of older people who were still at home 91 days after discharge from hospital</li> <li>% of older people offered reablement services following discharge</li> <li>Total delayed transfers of care</li> </ul>	<ul style="list-style-type: none"> <li>Permanent admissions to residential and nursing care homes</li> <li>Emergency readmissions within 28 days</li> </ul>
<b>Domain 4 - Ensuring a positive experience of care and support</b>	
<ul style="list-style-type: none"> <li>Overall satisfaction of people who use services with their care and support</li> <li>Overall satisfaction of carers with social servicers</li> </ul>	<ul style="list-style-type: none"> <li>Proportion of people who use services and carers who find it easy to find information about services</li> </ul>
<b>Domain 5 – Safeguarding vulnerable adults</b>	
<ul style="list-style-type: none"> <li>People aged 65+ receiving winter fuel payments</li> </ul>	<ul style="list-style-type: none"> <li>Proportion of people who use services who feel safe</li> <li>Proportion of people who use services who say that those services have made them feel safe and secure</li> <li>Injuries due to falls in people aged 65+ (hospital admission)</li> <li>Fuel poverty</li> </ul>
<b>Better Care Fund</b>	
<ul style="list-style-type: none"> <li>Delayed transfers of care per month per 100,000</li> <li>Total delayed transfers of care</li> <li>% of older people who were still at home 91 days after discharge from hospital</li> <li>% of older people offered reablement services following discharge</li> <li>Social isolation of carers</li> </ul>	<ul style="list-style-type: none"> <li>Permanent admissions to residential and nursing care homes</li> <li>Injuries due to falls in people aged 65+ (hospital admission)</li> <li>Reducing avoidable emergency admissions</li> </ul>



# Stockport

## Adult Social Care

**Key**  
Significance compared to goal / England average:  
● Significantly worse ● Significantly lower  
● Not significantly different ● Significantly higher  
● Significantly better ● Significance not tested



### People with care and support needs

	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
1 % of total population aged 65-74	2013	28,960	10.2	9.3	3.2		14.0
2 % of total population aged 75-84	2013	18,406	6.5	5.7	2.1		8.9
3 % of total population aged 85+	2013	7,141	2.51	2.30	0.72		4.01
4 IDAOP1	2010	11,071	16.3	18.1	51.8		7.2
5 % in long-term unemployment	Oct 2014	915	0.52	0.61	2.05		0.00
6 Prevalence of dementia	2012/13	2,043	0.68	0.57	1.13		0.22
7 Prevalence of mental health diagnoses	2012/13	2,303	0.77	0.84	1.46		0.30
8 Prevalence of learning disabilities aged 18+	2012/13	1,067	0.447	0.466	0.050		0.751
9 People aged 18-64 registered deaf or hard of hearing per 100,000	2009/10	145	83.6	172.8	0.0		492.4
10 People aged 65-74 registered deaf or hard of hearing per 100,000	2009/10	65	250	620	0		3518
11 People aged 75+ registered deaf or hard of hearing per 100,000	2009/10	500	2072	3089	140		12183
12 People aged 18-64 registered blind or partially sighted per 100,000	2010/11	250	143.8	206.9	0.0		454.1
13 People aged 65-74 registered blind or partially sighted	2010/11	110	418	654	0		2610
14 People aged 75+ registered blind or partially sighted	2010/11	1,030	4187	4774	0		10367
15 Adults with physical disabilities supported throughout the year per 100,000	2013/14	725	428	462	178		1601
16 Adults with learning disabilities supported throughout the year per 100,000	2013/14	745	439.5	414.0	0.0		800.6
17 Adults with mental health problems supported throughout the year per 100,000	2013/14	1,345	793	391	0		2333
18 Older people (65+) supported throughout the year per 100,000	2013/14	5,600	10274	9781	4187		22713
19 People aged 65+ in receipt of Attendance Allowance per 1,000	May 2014	8,910	167.4	149.9	99.5		221.3
20 Receiving DLA Pensionable Age per 1,000	May 2014	4,740	76.8	80.9	16.3		241.9



People with care and support needs continued	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
21 Receiving DLA Working Age per 1,000	May 2014	8,330	49.5	45.5	15.3		90.1

### Enhancing quality of life for people

	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
22 Social care-related quality of life	2013/14	106,360	18.9	19.0	17.8		20.6
23 Proportion of people who use services who have control over their daily life	2013/14	4,905	77.6	76.8	61.3		87.0
24 Proportion of people who receive self-directed support	2013/14	6,915	88.3	61.9	25.3		100
25 Proportion of people who receive direct payments	2013/14	1,735	22.1	19.1	6.1		78.4
26 Carer-reported quality of life	2012/13	3,320	8.4	8.1	6.5		9.3
27 Adults with learning disabilities in employment	2013/14	90	12.2	6.7	0.8		22.5
28 Adults in contact with mental health services in employment	2012/13	100	7.2	8.8	1.3		22.0
29 Adults with learning disabilities in settled accommodation	2013/14	660	89.2	74.9	47.6		94.4
30 Adults in contact with mental health services in settled accommodation	2012/13	900	64.6	58.5	5.5		94.1
31 Proportion of people who use services and their carers, who reported that they had as much social contact as they would like	2013/14	3,930	81.9	74.5	62.0		85.3
32 % clients aged 18-64 receiving Self Directed Support	2013/14	1,950	31.5	33.7	0.0		55.0
33 % clients aged 65+ receiving Self Directed Support	2013/14	4,250	68.5	66.3	49.8		100
34 % of people who die at home	2012/13 Q3				37.0		49.4
35 Clients receiving intensive home care per 100,000	2010/11	830	373.5	282.4	0.0		650.2
36 Adults who attended day care on 31st March per 100,000	2013/14	605	270.1	226.6	0.0		532.1
37 Adults receiving direct payments/personal budgets on 31st March per 100,000	2013/14	1,175	525	289	0		1247
38 Adults receiving equipment and adaptations on 31st March per 100,000	2013/14	940	420	433	0		3362
39 Adults receiving home care on 31st March per 100,000	2013/14	2,340	1045	658	200		1268
40 Adults receiving meals on 31st March per 100,000	2013/14	385	171.9	44.0	0.0		533.0
41 Adults receiving other services on 31st March per 100,000	2013/14	40	18	125	0		2147
42 Adults receiving professional support on 31st March per 100,000	2013/14	1,125	502	291	0		1189
43 Adults receiving short term residential care on 31st March per 100,000	2013/14	230	102.7	30.9	0.0		160.4
44 Adults receiving community support on 31st March per 100,000	2013/14	5,095	2274	1615	704		5116
45 Adults receiving day care services during the year per 100,000	2013/14	715	319.2	301.1	0.0		643.4
46 Adults who received direct payments during the year per 100,000	2013/14	1,505	672	367	0		1466
47 Adults who received equipment and adaptations during the year per 100,000	2013/14	1,075	480	844	0		4073
48 Adults who received home care during the year per 100,000	2013/14	3,525	1574	1110	386		2207
49 Adults who received meals during the year per 100,000	2013/14	535	238.8	75.4	0.0		533.0
50 Adults who received other services during the year per 100,000	2013/14	40	18	177	0		2581
51 Adults who received professional support during the year per 100,000	2013/14	1,680	750	460	0		2107
52 Adults who received short term residential care (not respite) during the year per 100,000	2013/14	1,060	473.2	155.1	0.0		638.9
53 Adults who received any community based support during the year per 100,000	2013/14	6,980	3116	2482	983		6165



## Adult Social Care Outcomes Framework for Stockport – June 2015

### Delaying and reducing the need for care and support

	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
54 Permanent admissions to residential and nursing care homes per 100,000 aged 18-64	2013/14	20	11.8	14.4	44.7		2.5
55 Permanent admissions to residential and nursing care homes per 100,000 aged 65+	2013/14	415	761	651	1247		190
56 Proportion of older people (65 and over) who were still at home 91 days after discharge from hospital	2013/14	330	89.2	82.5	50.0		100.0
57 The proportion of older people aged 65 and over offered reablement services following discharge from hospital.	2013/14	370	4.3	3.3	0.6		25.8
58 Total delayed transfers of care	2013/14	11	4.9	9.6	27.0		1.1
59 Delayed transfers of care attributable to adult social care	2013/14	x	- x	3.1	13.7		0.4
60 Permanent admissions into residential care per 100,000	2013/14	315	140.6	105.0	214.6		0.0
61 Permanent admissions into nursing care per 100,000	2013/14	115	51.3	49.2	120.0		0.0
62 Adults in permanent residential care on 31st March per 100,000	2013/14	930	415.2	369.9	825.2		149.0
63 Adults in residential care during the year per 100,000	2013/14	1,050	469	482	976		218
64 Adults in permanent nursing care on 31st March per 100,000	2013/14	300	133.9	132.9	300.5		0.0
65 Adults in nursing care during the year per 100,000	2013/14	425	190	200	448		0
66 Emergency readmissions within 28 days	2010/11	3,954	12.4	11.4	13.4		7.3
67 Delayed transfers of care per month per 100,000	Oct 2014	14	6.2	11.6	31.2		0.0
68 Adult Social Services gross expenditure (excl Supporting People) £1m per 100,000	2013/14	86	38.3	39.9	30.1		85.6
69 Adult Social Services Supporting People gross expenditure £1m per 100,000	2013/14	0	0.0	0.9	0.0		7.2
70 Total Adult Social Services gross expenditure £1m per 100,000	2013/14	86	38.3	40.7	30.9		85.6
71 Emergency bed days per 1000 population	2008/09			563.8	609.5		448.6

### Ensuring a positive experience of care and support

	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
72 Overall satisfaction of people who use services with their care and support	2013/14	4,340	69.1	64.8	53.1		76.6
73 Overall satisfaction of carers with social services	2012/13	190	52.1	42.7	25.5		100.0
74 Proportion of carers who report that they have been included or consulted in discussion about the person they care for	2012/13	255	77.3	72.9	55.4		100.0
75 Proportion of people who use services and carers who find it easy to find information about services	2012/13		152.4	142.8	103.8		165.9
76 Proportion of people who use services who find it easy to find information about services	2013/14	2,695	43.2	44.5	35.3		54.5
77 Referrals of new clients that resulted in further assessment of need per 100,000	2013/14	1,915	855	2347	0		8748
78 Referrals of new clients dealt with at point of contact per 100,000	2013/14	8,055	3596	2759	104		14482
79 Total referrals of new clients per 100,000 population	2013/14	9,970	4451	5106	1027		16507
80 Adult carers receiving assessments per 100,000	2013/14	2,350	1049	968	0		5565

### Safeguarding vulnerable adults

	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
81 Proportion of people who use services who feel safe	2013/14	3,960	63.5	66.0	54.6		81.8
82 Proportion of people who use services who say that those services have made them feel safe and secure	2013/14	4,560	74.6	79.1	53.9		92.6
83 2.24i - Injuries due to falls in people aged 65 and over	2013/14	1,527	2668	2064	3420		1320
84 Fuel Poverty	2011	20,502	16.5	14.6	23.7		3.4
85 % of people aged 65+ receiving winter fuel payments	2011/12	49,550	97.4	96.7	67.1		100
86 Adults receiving a review as a percentage of those receiving a service	2013/14	5,595	66.2	66.2	30.2		100
87 4.14i - Hip fractures in people aged 65 and over	2013/14	323	557	580	838		382
88 4.15i - Excess Winter Deaths Index (Single year, all ages)	Aug 2012 - Jul 2013	226	27.6	20.1	38.2		-3.3
89 1.15i - Statutory homelessness - homelessness acceptances	2013/14	130	1.1	2.3	12.5		0.1

### Better Care Fund

	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
90 Delayed transfers of care per month per 100,000	Oct 2014	14	6.2	11.6	31.2		0.0
91 Total delayed transfers of care	2013/14	11	4.9	9.6	27.0		1.1
92 Delayed transfers of care attributable to adult social care	2013/14	x	- x	3.1	13.7		0.4
93 Permanent admissions to residential and nursing care homes per 100,000 aged 65+	2013/14	415	761	651	1247		190
94 Proportion of older people (65 and over) who were still at home 91 days after discharge from hospital	2013/14	330	89.2	82.5	50.0		100.0
95 The proportion of older people aged 65 and over offered reablement services following discharge from hospital.	2013/14	370	4.3	3.3	0.6		25.8
96 1.18i - Social Isolation: % of adult social care users who have as much social contact as they would like	2013/14		43.2	44.5	35.4		54.4
97 1.18ii - Social Isolation: % of adult carers who have as much social contact as they would like	2012/13		46.7	41.3	23.9		60.9
98 2.13i - Percentage of physically active and inactive adults - active adults	2013	250	55.3	56.0	43.5		69.2
99 2.24i - Injuries due to falls in people aged 65 and over	2013/14	1,527	2668	2064	3420		1320
100 2.24ii - Injuries due to falls in people aged 65 and over - aged 65-79	2013/14	492	1251	989	1865		619
101 2.24iii - Injuries due to falls in people aged 65 and over - aged 80+	2013/14	1,035	6776	5182	8744		3344
102 Reducing avoidable emergency admissions	Mar 2013	791	278.6	178.9	322.9		30.5