



### **Presentation map**




©PHE - © Crown copyright and database rights 2014, Ordnance Survey 100016969 - ONS © Crown Copyright 2014



# Local Health

Report - Ward: Hazel Grove; Stockport (Ward (2013))

### **Population**




Source: ONS © Crown copyright 2013

#### Population by age group, 2012, numbers

Ages	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
aged under 16	2,626	//	53,713	10,130,226
aged 16-24	1,378	//	28,204	6,262,440
aged 25-64	7,048	//	148,741	28,044,555
aged 65-84	2,581	//	46,226	7,836,002
aged 85 and over	422	//	7,013	1,220,506
Total	14,055	//	283,897	53,493,729

Source: ONS © Crown copyright 2013

#### Age pyramid for selection: male and female numbers per five-year age group, 2012 Males



www.localhealth.org.uk



## Ethnicity & Language

#### Ethnicity & Language indicators, 2011, numbers


Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Black and Minority Ethnic (BME) Population	678	//	22,456	7,731,314
Population whose ethnicity is not 'White UK'	1,003	//	31,231	10,733,220
Number who cannot speak English well or at all	39	//	1,555	843,845

Source: ONS Census

#### Ethnicity & Language indicators, 2011, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Black and Minority Ethnic (BME) Population (%)	4.8	//	7.9	14.6
Population whose ethnicity is not 'White UK' (%)	7.1	//	11	20.2
Cannot speak English well or at all (%)	0.3	//	0.6	1.7

Source: ONS Census





### Deprivation

### Index of Deprivation, 2010, numbers (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
People living in means tested benefit households	1,205	//	34,191	7,597,605
Children living in income deprived households	272	//	8,309	2,115,946
People aged 60+ living in pension credit households	497	//	11,071	2,094,588


Source: CLG © Copyright 2010

#### Index of Deprivation, 2010, % (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Income Deprivation (%)	8.7	//	12.1	14.7
Child Poverty (%)	10.9	//	15.8	21.8
Older People in Deprivation (%)	13.1	//	16.3	18.1

Source: CLG © Copyright 2010

#### Index of Deprivation, 2010, %, Selection (comparing to England average)



www.localhealth.org.uk



### **Child Development, Education and Employment**

#### Child development, education and employment indicators, numbers (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Low birth weight births, 2008-2012	36	//	1,002	251,444
A good level of development at age 5, 2011/12	116	//	2,323	393,090
Achieving 5A*-C (incl. Eng & Maths) GCSE, 2011/12	109	//	1,921	330,011
Claiming job seekers allowance, 2012/13*	205	//	6,018	1,287,226
Claiming job seekers allowance for > 1 year, 2012/13	38	//	1,416	344,895

Source: Public Health England, ONS, NOMIS, DfE


#### \* Monthly average

#### Child development, education and employment indicators, values (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Low birth weight births (%)	4.8	//	5.9	7.4
Child development at age 5 (%)	72.8	//	69.5	63.5
GCSE achievement (5A*-C inc. Eng & Maths) (%)	71.4	//	66.6	58.8
Unemployment (JSA claimants) (%)	2.4	//	3.4	3.8
Long term unemployment (JSA) (rate/1,000)	4.5	//	8	10.1
Services Dublic Licelth England ONS NOMIC DE				

Source: Public Health England, ONS, NOMIS, DfE

#### Child development, education and employment indicators, Selection (comparing to England average)



Source: Public Health England, ONS, NOMIS, DfE www.localhealth.org.uk



### **Health and Care**

#### Health and care indicators, 2011, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
In very bad health	150	//	3,418	660,749
In bad or very bad health	689	//	15,923	2,911,195
Having a long term illness or disability	2,439	//	52,259	9,352,586
Provide unpaid care for 1 or more hours per week	1,724	//	31,982	5,430,016
Provide unpaid care for 50 or more hours per week	356	//	6,970	1,256,237


Source: ONS Census

#### Health and care indicators, 2011, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
General health very bad (%)	1.1	//	1.2	1.2
General health bad or very bad (%)	4.9	//	5.6	5.5
Limiting long term illness or disability (%)	17.4	//	18.4	17.6
Provides 1 hour or more unpaid care per week (%)	12.3	//	11.3	10.2
Provides 50 hours or more unpaid care per week (%)	2.5	//	2.5	2.4

Source: ONS Census

#### Health and care indicators, 2011, %, Selection (comparing to England average)



Source: ONS Census www.localhealth.org.uk



### **Housing and Living Environment**

#### Housing and living environment indicators, 2011, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Households with central heating	5,864	//	119,142	21,468,807
Overcrowded households (at least 1 room too few)	239	//	5,870	1,928,596
Pensioners living alone	877	//	16,878	2,725,596


Source: ONS Census

#### Housing and living environment indicators, 2011, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Households with central heating (%)	97.9	//	97.7	97.3
Overcrowding (%)	4	//	4.8	8.7
Pensioners living alone (%)	30.8	//	33.1	31.5

Source: ONS Census

#### Housing and living environment indicators, 2011, %, Selection (comparing to England average)





## **Children's Weight**

#### Children's weight indicators, 2010/11-2012/13, numbers

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Obese children (reception year)	28	//	698	159,197
Children with excess weight (reception year)	82	//	1,792	380,678
Obese children (year 6)	45	//	1,408	281,160
Children with excess weight (year 6)	83	//	2,562	494,931


Source: Public Health England & HSCIC © 2010-2014

#### Children's weight indicators, 2010/11-2012/13, %

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Obese children (reception year)	7.7	//	7.8	9.4
Children with excess weight (reception year)	22.4	//	20.2	22.5
Obese children (year 6)	15.4	//	17.4	19.1
Children with excess weight (year 6)	28.3	//	31.6	33.5

Source: Public Health England & HSCIC  $\ensuremath{\mathbb{C}}$  2010-2014

#### Children's weight indicators, %, Selection (comparing to England average)



Source: Public Health England & HSCIC © 2010-2014 www.localhealth.org.uk



### Children's health care activity

#### Children's health care activity indicators, numbers (estimated from MSOA level data)

indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Admissions for injuries in under 5s, 2008/9-12/13	60	//	1,397	228,389
Emergency admissions in under 5s, 2010/11-12/13	609	//	11,979	1,500,752
A&E attendances in under 5s, 2010/11-12/13	1,199	//	22,849	5,096,445
Admissions for injury in under 18s, 2008/9-12/13	186	//	3,984	666,952


Source: Public Health England, HSCIC © Copyright 2015

#### Children's health care activity indicators, values (estimated from MSOA level data)

indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Admissions for injuries in under 5s (rate per 10,000)	142.8	//	164	139.6
Emergency admissions in under 5s (rate per 1000)	237.7	//	230.4	150
A&E attendances in under 5s (rate per 1000)	467.7	//	439.5	509.5
Admissions for injury in under 18s (rate per 100,000)	1,257.8	//	1,314.1	1,180.9
Sources Dublic Llochth England, LISOLO @ Comunicity 2015				

Source: Public Health England, HSCIC © Copyright 2015

#### Children's health care activity indicators, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2015 www.localhealth.org.uk



### **Adults' lifestyle**

#### Adults' lifestyle indicators, 2006-08, numbers (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Obese adults	2,466	//	50,168	9,983,436
Binge drinking adults	2,712	//	56,734	8,290,798
Healthy eating adults	3,366	//	66,653	11,907,157


Source: Public Health England © Copyright 2010

#### Adults' lifestyle indicators, 2006-08, % (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Obese adults (%)	22.2	//	22	24.1
Binge drinking adults (%)	24.5	//	24.9	20
Healthy eating adults (%)	30.4	//	29.2	28.7

Source: Public Health England © Copyright 2010

#### Adults' lifestyle indicators, %, Selection (comparing to England average)



Source: Public Health England © Copyright 2010



### **Emergency hospital admissions**

#### Emergency Hospital Admissions, numbers, 2008/9 to 2012/13 (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Emergency hospital admissions for all causes	8,800	//	176,488	25,623,623
Emergency hospital admissions for CHD*	255	//	5,230	706,513
Emergency hospital admissions for stroke	112	//	2,346	368,284
Emergency hospital admissions for MI*	125	//	2,415	312,427
Emergency hospital admissions for COPD*	196	//	3,645	552,386


Source: Public Health England, HSCIC © Copyright 2014

\* CHD: Coronary Heart Disease; MI: Myocardial Infarction (heart attack); COPD: Chronic Obstructive Pulmonary Disease Emergency Hospital Admissions, Standardised Admission Ratios (SARs), 2008/9 to 2012/13 (est. from MSOA data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Emergency hospital admissions for all causes	118.5	//	124.5	100
Emergency hospital admissions for CHD	112.4	//	126.8	100
Emergency hospital admissions for stroke	91.9	//	108.8	100
Emergency hospital admissions for MI	123.4	//	132.4	100
Emergency hospital admissions for COPD	107.8	//	112.3	100

Source: Public Health England, HSCIC © Copyright 2014

#### Emergency Hospital admissions, SARs, 2008/9 to 2012/13, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2014 www.localhealth.org.uk



### **Cancer incidence**

#### Cancer incidence, numbers, 2007-2011 (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
All cancer	419	//	7,960	1,335,034
Breast cancer	64	//	1,224	203,220
Colorectal cancer	53	//	963	165,022
Lung cancer	52	//	1,057	170,117
Prostate cancer	48	//	978	171,557


Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams

#### Cancer incidence, Standardised Incidence Ratios (SIRs), 2007-2011 (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
All cancer	98.6	//	102.4	100
Breast cancer	103	//	103.5	100
Colorectal cancer	97.8	//	99.6	100
Lung cancer	94	//	105.8	100
Prostate cancer	86.1	//	97.6	100

Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams

#### Cancer incidence, SIRs, 2007-2011, Selection (comparing to England average)



Source: ONS Cancer incidence data, combining cancer registration data from all PHE cancer registration teams



### Hospital admissions - harm and injury

#### Hospital admissions - harm and injury, numbers, 2008/9 to 2012/13 (estimated from MSOA level data)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Hospital stays for self harm	140	//	3,448	515,548
Hospital stays for alcohol related harm	1,765	//	36,084	5,560,988
Emergency admissions for hip fracture aged 65+	77	//	1,736	310,435
Elective hospital admissions for hip replacement	83	//	1,665	302,413
Elective hospital admissions for knee replacement	97	//	1,737	342,546


Source: Public Health England, HSCIC © Copyright 2014

#### Hospital admissions - harm and injury, Standardised Admission Ratios (SARs), 2008/9 to 2012/13 (est. from MSOA)

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Hospital stays for self harm	110.2	//	129.9	100
Hospital stays for alcohol related harm	105.5	//	114.4	100
Emergency admissions for hip fracture aged 65+	73.2	//	95.2	100
Elective hospital admissions for hip replacement	85.1	//	94	100
Elective hospital admissions for knee replacement	86.4	//	86.2	100

Source: Public Health England, HSCIC © Copyright 2014

#### Hospital admissions - harm and injury, SARs, 2008/9 to 2012/13, Selection (comparing to England average)



Source: Public Health England, HSCIC © Copyright 2014 www.localhealth.org.uk



### Mortality and causes of death - all ages

#### Causes of deaths - all ages, numbers, 2008-2012

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
All causes	607	//	13,228	2,315,661
All cancer	182	//	3,760	651,010
All circulatory disease	212	//	4,150	686,806
Coronary heart disease	109	//	2,120	320,773
Stroke	52	//	1,053	178,673
Respiratory diseases	75	//	1,757	327,787


Source: Public Health England, produced from ONS data Copyright © 2014

#### Causes of deaths - all ages, Standardised Mortality Ratios (SMRs), 2008-2012


Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
All causes	79.8	//	97.9	100
All cancer	86.3	//	98.5	100
All circulatory disease	92.7	//	103.2	100
Coronary heart disease	102.6	//	112.8	100
Stroke	85.9	//	100.8	100
Respiratory diseases	68.2	//	91.6	100

Source: Public Health England, produced from ONS data Copyright © 2014

#### Causes of deaths - all ages, SMRs, 2008-2012, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2014



### Mortality and causes of death - premature mortality

#### Causes of deaths - premature mortality, numbers, 2008-2012

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
All causes, aged under 65	87	//	2,234	391,312
All causes, aged under 75	185	//	4,437	762,945
All cancer, aged under 75	78	//	1,848	310,211
All circulatory disease, aged under 75	42	//	1,027	176,217
Coronary heart disease, aged under 75	24	//	605	99,575


Source: Public Health England, produced from ONS data Copyright © 2014

#### Causes of deaths - premature mortality, Standardised Mortality Ratios (SMRs), 2008-2012

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
All causes, aged under 65	80.9	//	101.9	100
All causes, aged under 75	82.5	//	101.2	100
All cancer, aged under 75	84.2	//	102.8	100
All circulatory disease, aged under 75	79.4	//	100.4	100
Coronary heart disease, aged under 75	80.1	//	104.4	100

Source: Public Health England, produced from ONS data Copyright © 2014

#### Causes of deaths - premature mortality, SMRs, 2008-2012, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright © 2014 www.localhealth.org.uk



### Modelled prevalence of young people who smoke

#### Modelled prevalence of young people who smoke, numbers

indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
People aged 11-15 who occasionally smoke	9	//	248	45,767
People aged 15 who occasionally smoke	6	//	139	25,778
People aged 16-17 who occasionally smoke	22	//	414	77,463
People aged 11-15 who regularly smoke	16	//	522	98,888
People aged 15 who regularly smoke	12	//	300	56,916
People aged 16-17 who regularly smoke	47	//	1,014	194,373


Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton

#### Modelled prevalence of young people who smoke, values

indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Occasional smoker (%, age 11-15)	1.1	//	1.5	1.5
Occasional smoker (%, age 15)	4.2	//	3.9	4
Occasional smoker (%, age 16-17)	6.4	//	5.9	5.9
Regular smoker (%, age 11-15)	2.1	//	3.1	3.1
Regular smoker (%, age 15)	7.8	//	8.5	8.7
Regular smoker (%, age 16-17)	13.5	//	14.4	14.8

Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton

#### Modelled prevalence of young people who smoke, Selection (comparing to England average)



Source: Dept of Geography, University of Portsmouth and Geography and Environment, University of Southampton




### Life expectancy

#### Life expectancy at birth, years, 2008-2012

Indicator	Selection	Lower Tier Local Authority ()	Upper Tier Local Authority (Stockport)	England
Males	80.9	//	79.1	78.9
Females	85.6	//	82.8	82.8

Source: Public Health England, produced from ONS data Copyright © 2014

#### Life expectancy at birth, years, 2008-2012, Selection (comparing to England average)



Source: Public Health England, produced from ONS data Copyright 0 2014