Health Profile 2011

Stockport


This profile gives a picture of health in this area. It is designed to help local government and health services understand their community's needs, so that they can work to improve people's health and reduce health inequalities.

Visit the Health Profiles website for:

- Profiles of all local authorities in England
- Interactive maps see how health varies between areas
- More health indicator information
- Links to more community health profiles and tools

Health Profiles are produced by the English Public Health Observatories working in partnership.

www.healthprofiles.info



© Crown Copyright and database rights 2011, Ordnance Survey 100020290 Other map data © Collins Bartholomew.

Population 284,000

Mid-2009 population estimate Source: National Statistics website: www.statistics.gov.uk




- The health of people in Stockport is mixed compared to the England average. Deprivation is lower than average, however 9,210 children live in poverty. Life expectancy for both men and women is similar to the England average.
- Life expectancy is 11 years lower for men and 9.2 years lower for women in the most deprived areas of Stockport than in the least deprived areas (based on the Slope Index of Inequality published on 5th January 2011).
- Over the last 10 years, all cause mortality rates have fallen. Early death rates from cancer and from heart disease and stroke have fallen and are similar to the England average.
- About 16.5% of Year 6 children are classified as obese. 55.5% of pupils spend at least three hours each week on school sport. Levels of tooth decay in children are worse than the England average.
- An estimated 17.7% of adults smoke and 22.0% are obese. The rate of hospital stays for alcohol related harm is higher than average.
- Priorities in Stockport include reducing consumption of, and harm related to, alcohol, improving and promoting mental wellbeing and resilience and reducing health inequalities by giving children a healthy start. For more information see www.nhsstockport.nhs.uk






Deprivation: a national view

This map shows differences in deprivation levels in this area based on national quintiles (of the Index of Multiple Deprivation 2007 by Lower Super Output Area). The darkest coloured areas are some of the most deprived areas in England. This chart shows the percentage of the population in England, this region, and this area who live in each of these quintiles.



Health inequalities: **a local view**

This map shows differences in deprivation levels in this area based on local quintiles (of the Index of Multiple Deprivation 2007 by Lower Super Output Area). The darkest coloured areas are the most deprived in this area. This chart shows the life expectancy at birth for males and females (2005-2009) for each of the quintiles in this area.



Health inequalities: changes over time


These graphs show how changes in death rates for this area compare with changes for the whole of England. Data points on the graph are mid-points of 3-year averages of yearly rates. For example the dot labelled 2003 represents the 3-year period 2002 to 2004.


Trend 1 compares rates of death, at all ages and from all causes, in this area with those for England.

Trend 2 compares rates of early death from heart disease and stroke (in people under 75) in this area with those for England.

Trend 3 compares rates of early death from cancer (in people under 75) in this area with those for England.


Trend 2: Early death rates from heart disease and stroke








Early death rates from cancer



ethnicity

This chart shows the percentage of pupils by ethnic group in this area who achieved five GCSEs in 2009/10 (A* to C grades including English and Maths). Comparing results may help find possible inequalities between ethnic groups.



England Stockport

Ethnic Groups	% pupils achieved grades	No. of pupils achieved grades		
White	62.0	1,712		
Mixed	60.0	51		
Asian	61.6	53		
Black	56.5	13		
Chinese/other	72.7	24		

If there are any empty cells in the table this is because data has not been presented where the calculation involved pupil numbers of 0, 1 or 2. Some further groups may not have data presented in order to prevent counts of small numbers being calculated from values for other ethnic groups or areas.

Health summary for Stockport

The chart below shows how the health of people in this area compares with the rest of England. This area's result for each indicator is shown as a circle. The average rate for England is shown by the black line, which is always at the centre of the chart. The range of results for all local areas in England is shown as a grey bar. A red circle means that this area is significantly worse than England for that indicator; however, a green circle may still indicate an important public health problem.

Not s	ficantly worse than England average ignificantly different from England average ficantly better than England average			E	ngland Wors		Englan Best
			1			outh East Region this represents the Strategic Health Authority	
Domain	Indicator	Local No. Per Year	Local Value	Eng Avg	Eng Worst	England Range	Eng Best
Our communities	1 Deprivation	33642	12.0	19.9	89.2	O	0.0
	2 Proportion of children in poverty	9210	15.2	20.9	57.0	♦ O	5.7
	3 Statutory homelessness	123	1.01	1.86	8.28	⊘ ⊘	0.08
	4 GCSE achieved (5A*-C inc. Eng & Maths)	1863	61.9	55.3	38.0	• •	78.6
	5 Violent crime	2803	9.9	15.8	35.9	♦ O	4.6
	6 Long term unemployment	1188	6.6	6.2	19.6		1.0
Children's and young people's health	7 Smoking in pregnancy	591	17.8	14.0	31.4		4.5
	8 Breast feeding initiation	2442	73.8	73.6	39.9		95.2
	9 Physically active children	18279	55.5	55.1	26.7	\diamond	80.3
	10 Obese children (Year 6)	448	16.5	18.7	28.6	◊ ○	10.7
	11 Children's tooth decay (at age 12)	n/a	1.0	0.7	1.6		0.2
	12 Teenage pregnancy (under 18)	207	37.4	40.2	69.4	♦ ●	14.6
Adults' health and lifes tyle	13 Adults smoking	n/a	17.7	21.2	34.7	♦ O	11.1
	14 Increasing and higher risk drinking	n/a	30.5	23.6	39.4	○ ♦	11.5
	15 Healthy eating adults	n/a	29.2	28.7	19.3		47.8
	16 Physically active adults	n/a	9.7	11.5	5.8		19.5
	17 Obese adults	n/a	22.0	24.2	30.7	♦ •	13.9
Disease and poor health	18 Incidence of malignant melanoma	54	18.8	13.1	27.2		3.1
	19 Hospital stays for self-harm	721	274.3	198.3	497.5		48.0
	20 Hospital stays for alcohol related harm	6649	1969	1743	3114	♦	849
	21 Drug misuse	1464	8.0	9.4	23.8	♦ O	1.8
	22 People diagnosed with diabetes	12484	5.26	5.40	7.87	♦ ○	3.28
	23 New cases of tuberculosis	21	7	15	120	Q	0
	24 Hip fracture in 65s and over	330	483.3	457.6	631.3	©	310.9
Life expectancy and causes of death	25 Excess winter deaths	178	21.3	18.1	32.1	•	5.4
	26 Life expectancy - male	n/a	78.1	78.3	73.7	♦	84.4
	27 Life expectancy - female	n/a	82.6	82.3	79.1	O	89.0
	28 Infant deaths	15	4.47	4.71	10.63	♦ O	0.68
	29 Smoking related deaths	486	215.6	216.0	361.5		131.9
	30 Early deaths: heart disease & stroke	249	75.2	70.5	122.1		37.9
	31 Early deaths: cancer	371	114.0	112.1	159.1	♦ O	76.1
	32 Road injuries and deaths	76	26.9	48.1	155.2		13.7

Indicator Notes

1% of people in this area living in 20% most deprived areas in England 2007 2% children in families receiving means-tested benefits & low income 2008 3 Crude rate per 1,000 households 2009/10 4% at Key Stage 4 2009/10 5 Recorded violence against the person crimes crude rate per 1,000 population 2009/10 6 Crude rate per 1,000 population aged16-64, 2010 7% of mothers smoking in pregnancy where status is known 2009/10 8% of mothers initiating breastfeeding where status is known 2009/10 9% of year 1-13 pupils who spend at least 3 hours per week on high quality PE and school sport 2009/10 10% of school children in Year 6, 2009/10 11 Weighted mean number of decayed, missing or filled teeth in 12-year-olds, 2008/09 12 Under-18 conception rate per 1,000 females aged 15-17 (crude rate) 2007-2009 (provisional) 13% adults aged 18+, 2009/10 14% aged 16+ in the resident population, 2008 15% adults, modelled estimate using Health Survey for England 2006-2008 (revised) 16% aged 16+ 2009/10 17% adults, modelled estimate using Health Survey for England 2006-2008 (revised) 18 Directly age and sex standardised rate per 100,000 population, 2009/10 21 Estimated problem drug users using crack and/or opiates aged 15-64 per 1,000 resident population, 2008/09 22% of people on GP registers with a recorded diagnosis of diabetes 2009/10 23 Crude rate per 100,000 population 2007-2009 24 Directly age and sex standardised rate per 100,000 population 65+, 2009/10 25 Ratio of excess winter deaths (observed winter deaths minus expected deaths based on non-winter deaths 1.08.06-31.07.09 26 At birth, 2007-2009 27 At birth, 2007-2009 28 Rate per 1,000 live births 2007-2009 29 Per 100,000 population under 75, 2007-2009 30 Directly age standardised rate per 100,000 population under 75, 2007-2009 30 Directly age standardised rate per 100,000 population under 75, 2007-2009 31 Directly age standardised rate per 100,000 population under 75, 2007-2009 32 Rate per 100,000 population 2007-2009 31 Directly age standardised rate per 100,000 population under

For links to health intelligence support in your area see www.healthprofiles.info More indicator information is available online in The Indicator Guide.

You may use this profile for non-commercial purposes as long as you acknowledge where the information came from by printing 'Source: Department of Health. © Crown Copyright 2011'.