



Stockport

Health Protection Profile

The Health Protection Profiles have been developed by Public Health England to support health protection teams, local authorities and public health leads describe and monitor health protection in their local population.

The profiles provide a snapshot of health protection across a range of topics including immunisation, sexually transmitted infections and TB. Other health protection indicators will be added as they become available.

This output report provides selected data presentations showing how your local authority compares to the England value and other local authorities in your region.

Please refer to the online tool for full detail of the metadata, accompanying advice and further presentations including interactive maps and other options for grouping and comparing your local authority.

Contents

Spine Charts

Childhood Immunisation	Page 2
Infectious Diseases	Page 2
Other	Page 3

Trends

Childhood Immunisation	Page 4
Infectious Diseases	Page 6
Other	Page 8

Tartan Rugs

Childhood Immunisation	Page 9
Infectious Diseases	Page 9
Other	Page 10

Bar Charts

Childhood Immunisation	Page 12
Infectious Diseases	Page 14
Other	Page 16

Definitions

Page 17



© Crown Copyright and database rights 2015, Ordnance Survey 100016969
OpenStreetMap contributors ODbL

<http://fingertips.phe.org.uk/profile/health-protection>

Produced by Public Health England.


For enquiries please contact profilefeedback@phe.gov.uk

Spine Charts

Key

Significance compared to goal / England average:

- Significantly worse
- Significantly lower
- Not significantly different
- Significantly higher
- Significantly better
- Significance not tested



Childhood Immunisation

	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
Population vaccination coverage - Dtap / IPV / Hib (1 year old) < 90 ≥ 90	2013/14	3,394 ^	95.9 ^	94.3	78.6		98.4
Population vaccination coverage - MenC (1 year old) < 90 ≥ 90	2012/13	3,171 ^	96.3 ^	93.9	75.9		98.8
Population vaccination coverage - Hepatitis B (1 year old)	2013/14	0 ^	- ^	-	13.6		100
Population vaccination coverage - Hib / MenC booster (2 years old) < 90 ≥ 90	2013/14	3,200	94.1	92.5	76.6		98.1
Population vaccination coverage - MMR for one dose (2 years old) < 90 ≥ 90	2013/14	3,188 ^	93.7 ^	92.7	78.3		98.3
Population vaccination coverage - Dtap / IPV / Hib (2 years old) < 90 ≥ 90	2013/14	3,323 ^	97.7 ^	96.1	81.6		99.1
Population vaccination coverage - Hepatitis B (2 years old)	2013/14	*	- *	-	9.6		100
Population vaccination coverage - Hib / Men C booster (5 years) < 90 ≥ 90	2013/14	3,012 ^	91.3 ^	91.9	72.7		98.1
Population vaccination coverage - MMR for one dose (5 years old) < 90 ≥ 90	2013/14	3,206 ^	97.2 ^	94.1	74.8		98.6
Population vaccination coverage - MMR for two doses (5 years old) < 90 ≥ 90	2013/14	3,058 ^	92.7 ^	88.3	63.8		97.4
Population vaccination coverage - HPV (females 12-13 years old) < previous years England average ≥ previous years England average	2013/14	1,431	91.9	86.7	51.1		96.6

Infectious Diseases

	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
Chlamydia proportion aged 15-24 screened	2014	9,141	29.1	24.3	10.9		48.7
Chlamydia diagnosis rate per 100,000 aged 15-24 < 1900 1900 to 2300 ≥ 2300	2014	853	2716	2012	945		4270
Syphilis diagnoses rate per 100,000 population	2014	4	1.4	7.8	132.1		0.0
Gonorrhoea diagnosis rate per 100,000 population	2014	99	34.7	63.3	633.9		0.0
HIV diagnosed prevalence rate per 1,000 aged 15-59 < 1 1 to 2 ≥ 2	2013	173	1.06	2.14	0.37		14.70
People presenting with HIV at a late stage of infection < 25 25 to 50 ≥ 50	2011 - 13	18	47.4	45.0	77.3		23.1
HIV testing uptake, women (%)	2014	1,964	58.3	71.5	0.0		92.2

Note: * - Disclosure control applied, ^ - Value estimated

<http://fingertips.phe.org.uk/profile/health-protection>

E08000007 Stockport

© Crown Copyright 2015. Updated 6th October 2015

Infectious Diseases continued	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
HIV testing uptake, men (%)	2014	2,067	78.8	84.8	48.3		100
HIV testing uptake, MSM (%)	2014	433	91.4	94.5	0.0		99.0
TB incidence per 100,000 population	2011 - 13	60	7.0	14.8	113.7		0.0
Treatment completion for TB (%)	2012	*	- *	83.3	40.7		100
Population vaccination coverage - Flu, at risk individuals (%)	2014/15	20,801	63.3	50.3	38.4		63.6
Population vaccination coverage - Flu, aged 65+ (%)	2014/15	45,696	80.1	72.7	61.7		80.1
Population vaccination coverage - PPV (%)	2013/14	31,461	73.3	68.9	52.8		77.6


Other

	Period	Local count	Local value	Eng. value	Eng. worst / lowest	Range	Eng. best / highest
Incidence of malignant melanoma per 100,000 aged	2010 - 12	165	22.0	18.4	37.3		4.8
Incidence of malignant melanoma per 100,000 all ages	2010 - 12	215	26.4	23.3	44.8		6.3


Note: * - Disclosure control applied

Childhood Immunisation


Population vaccination coverage - Dtap / IPV / Hib (1 year old)




Population vaccination coverage - MenC (1 year old)




Population vaccination coverage - Hepatitis B (1 year old)




Population vaccination coverage - Hib / MenC booster (2 years old)




Population vaccination coverage - MMR for one dose (2 years old)




Population vaccination coverage - Dtap / IPV / Hib (2 years old)




Population vaccination coverage - Hepatitis B (2 years old)




Population vaccination coverage - Hib / Men C booster (5 years)



Population vaccination coverage - MMR for one dose (5 years old)




Population vaccination coverage - MMR for two doses (5 years old)



Childhood Immunisation continued


Population vaccination coverage - HPV (females 12-13 years old)

< previous years England average > previous years England average




Infectious Diseases


Chlamydia proportion aged 15-24 screened




Chlamydia diagnosis rate per 100,000 aged 15-24




Syphilis diagnoses rate per 100,000 population




Gonorrhoea diagnosis rate per 100,000 population




HIV diagnosed prevalence rate per 1,000 aged 15-59




People presenting with HIV at a late stage of infection




HIV testing uptake, women (%)




HIV testing uptake, men (%)



HIV testing uptake, MSM (%)




TB incidence per 100,000 population




Infectious Diseases continued


Treatment completion for TB (%)




Population vaccination coverage - Flu, at risk individuals (%)



Population vaccination coverage - Flu, aged 65+ (%)




Population vaccination coverage - PPV (%)




Stockport

Other

Incidence of malignant melanoma per 100,000 aged



Incidence of malignant melanoma per 100,000 all ages



Tartan Rugs

Childhood Immunisation

	Period	England	Blackburn	Blackpool	Bolton	Bury	Chesh East	Ch W & Ches	Cumbria	Halton	Knowsley	Lancs	Liverpool	Manchester	Oldham	Rochdale	Salford	Sefton	St. Helens	Stockport	Tameside	Trafford	Warrington	Wigan	Wirral
Population vaccination coverage - Dtap / IPV / Hib (1 year old)	2013/14	94.3 ^	94.8 ^	95.8 ^	96.3 ^	95.9 ^	97.0 ^	96.9 ^	97.3 ^	92.8 ^	96.0 ^	92.7 ^	95.6 ^	95.4 ^	97.1 ^	96.3 ^	97.7 ^	96.3 ^	92.8 ^	95.9 ^	96.5 ^	97.7 ^	96.5 ^	96.7 ^	96.8 ^
< 90 ≥ 90																									
Population vaccination coverage - MenC (1 year old)	2012/13	93.9 ^	94.2 ^	95.2 ^	95.8 ^	94.5 ^	97.5 ^	97.3 ^	96.5 ^	93.8 ^	97.2 ^	93.7 ^	95.9 ^	94.5 ^	97.1 ^	96.8 ^	96.1 ^	95.5 ^	93.8 ^	96.3 ^	95.6 ^	96.3 ^	96.1 ^	97.0 ^	95.8 ^
< 90 ≥ 90																									
Population vaccination coverage - Hepatitis B (1 year old)	2013/14	-	- *	- x	42.9 ^	13.6 ^	100 ^	100 ^	- ^	- *	- *	- x	66.7 ^	90.6 ^	100 ^	44.3 ^	100 ^	- *	- *	- ^	- *	100 ^	- x	100 ^	100 ^
Population vaccination coverage - Hib / MenC booster (2 years old)	2013/14	92.5	94.0	91.8	95.0	93.1	96.4	93.2	96.7	96.9	97.0	91.0	94.5	91.1	95.2	94.7	98.1	94.9	96.9	94.1	94.6	96.4	95.6	95.3	94.8
< 90 ≥ 90																									
Population vaccination coverage - MMR for one dose (2 years old)	2013/14	92.7 ^	94.2 ^	91.5 ^	96.4 ^	95.1 ^	95.1 ^	95.4 ^	96.7 ^	96.3 ^	95.2 ^	93.7 ^	94.7 ^	92.9 ^	96.1 ^	95.7 ^	98.3 ^	94.7 ^	96.3 ^	93.7 ^	93.9 ^	96.8 ^	94.7 ^	95.3 ^	95.1 ^
< 90 ≥ 90																									
Population vaccination coverage - Dtap / IPV / Hib (2 years old)	2013/14	96.1 ^	95.9 ^	96.9 ^	98.2 ^	96.5 ^	97.7 ^	97.4 ^	98.1 ^	97.7 ^	97.3 ^	96.4 ^	97.4 ^	96.2 ^	96.9 ^	97.0 ^	99.1 ^	97.2 ^	97.7 ^	97.7 ^	97.8 ^	98.7 ^	98.3 ^	97.6 ^	97.8 ^
< 90 ≥ 90																									
Population vaccination coverage - Hepatitis B (2 years old)	2013/14	-	- ^	- x	40.0 ^	9.6 ^	100 ^	100 ^	- *	- ^	- x	- x	66.7 ^	88.2 ^	48.6 ^	17.4 ^	100 ^	- ^	- ^	- *	- *	100 ^	- x	- *	100 ^
Population vaccination coverage - Hib / Men C booster (5 years)	2013/14	91.9 ^	94.2 ^	90.9 ^	89.4 ^	93.0 ^	95.4 ^	95.4 ^	92.8 ^	96.7 ^	97.5 ^	94.2 ^	90.8 ^	87.7 ^	90.7 ^	91.9 ^	97.7 ^	91.7 ^	96.7 ^	91.3 ^	94.2 ^	92.7 ^	95.3 ^	95.5 ^	93.1 ^
< 90 ≥ 90																									
Population vaccination coverage - MMR for one dose (5 years old)	2013/14	94.1 ^	96.7 ^	94.2 ^	96.2 ^	95.6 ^	95.5 ^	94.5 ^	96.7 ^	97.4 ^	97.8 ^	96.0 ^	96.8 ^	94.7 ^	94.9 ^	95.0 ^	98.6 ^	96.3 ^	97.4 ^	97.2 ^	96.7 ^	92.4 ^	96.0 ^	95.4 ^	97.2 ^
< 90 ≥ 90																									
Population vaccination coverage - MMR for two doses (5 years old)	2013/14	88.3 ^	89.3 ^	85.1 ^	91.8 ^	92.4 ^	90.1 ^	90.7 ^	93.7 ^	93.1 ^	94.1 ^	90.0 ^	90.9 ^	90.2 ^	93.0 ^	92.7 ^	97.4 ^	90.3 ^	93.1 ^	92.7 ^	90.3 ^	92.4 ^	90.8 ^	91.0 ^	92.2 ^
< 90 ≥ 90																									
Population vaccination coverage - HPV (females 12-13 years old)	2013/14	86.7	90.3	78.9	92.9	82.0	93.1	93.6	91.2	90.4	94.4	89.6	88.4	77.9	93.3	87.7	81.1	90.6	91.3	91.9	90.9	87.2	90.0	85.3	90.4
< previous years England average ≥ previous years England average																									

Comparison with respect to England value / goal



Note: * - Disclosure control applied, ^ - Value estimated, x - Value Missing

<http://fingertips.phe.org.uk/profile/health-protection>

Stockport

Infectious Diseases

	Period	England	Blackburn	Blackpool	Bolton	Bury	Chesh East	Ch W & Ches	Cumbria	Halton	Knowsley	Lancs	Liverpool	Manchester	Oldham	Rochdale	Salford	Sefton	St. Helens	Stockport	Tameside	Trafford	Warrington	Wigan	Wirral
Chlamydia proportion aged 15-24 screened	2014	24.3	19.3	28.1	22.2	24.3	23.2	24.7	18.8	29.0	26.3	24.2	25.3	24.0	30.1	29.0	27.5	28.3	32.3	29.1	36.6	21.1	18.1	24.3	24.8
Chlamydia diagnosis rate per 100,000 aged 15-24	2014	2012	1854	3760	2159	2383	1721	1997	1707	1977	2307	2360	2209	2066	3071	2671	2368	3173	2217	2716	3058	1847	1411	2192	2656
			< 1900	1900 to 2300	≥ 2300																				
Syphilis diagnoses rate per 100,000 population	2014	7.8	2.7	14.1	6.4	5.9	5.4	4.5	2.4	3.2	6.8	3.8	6.2	17.5	6.2	5.2	16.3	5.5	2.8	1.4	2.7	5.2	1.5	4.4	1.9
Gonorrhoea diagnosis rate per 100,000 population	2014	63.3	26.5	78.5	33.9	34.8	19.9	29.0	23.9	38.1	38.3	30.3	54.2	139.0	27.3	31.1	85.4	29.3	40.3	34.7	38.5	53.0	29.3	31.3	39.3
HIV diagnosed prevalence rate per 1,000 aged 15-59	2013	2.14	1.06	3.44	1.77	1.96	0.81	0.89	0.50	0.61	0.63	0.73	1.84	5.76	1.28	1.57	4.78	0.73	0.77	1.06	1.41	1.90	0.67	1.08	0.93
			< 1	1 to 2	≥ 2																				
People presenting with HIV at a late stage of infection	2011 - 13	45.0	50.0	31.6	61.5	65.2	40.0	48.7	62.2	40.0	44.4	46.1	46.6	50.6	33.3	61.1	39.1	39.1	44.4	47.4	66.7	53.5	42.9	53.6	52.9
			< 25	25 to 50	≥ 50																				
HIV testing uptake, women (%)	2014	71.5	69.3	79.8	78.0	69.1	50.9	62.3	61.2	74.4	53.6	71.5	68.3	76.6	16.2	62.5	57.2	77.4	62.2	58.3	28.2	37.5	81.3	52.6	15.5
HIV testing uptake, men (%)	2014	84.8	69.4	84.1	87.2	85.8	83.5	81.5	78.2	79.6	69.2	76.8	74.2	86.8	54.2	76.0	84.4	81.1	73.2	78.8	66.7	80.0	82.8	66.1	48.3
HIV testing uptake, MSM (%)	2014	94.5	81.6	92.2	98.7	96.8	94.4	92.5	93.5	93.8	89.5	93.2	88.9	96.0	89.8	93.2	95.9	89.5	92.7	91.4	90.1	94.2	94.7	95.1	82.3
TB incidence per 100,000 population	2011 - 13	14.8	35.5	14.8	19.7	10.8	3.8	2.8	3.7	0.5	2.7	9.4	9.3	37.2	20.6	15.9	11.1	3.8	2.5	7.0	13.8	14.1	4.9	3.2	3.3
Treatment completion for TB (%)	2012	83.3	90.0	90.0	79.5	80.0	- *	- *	40.7	- *	- *	89.0	97.5	83.7	87.0	86.7	72.7	- *	- *	- *	78.8	76.5	- *	- *	- *
Population vaccination coverage - Flu, at risk individuals (%)	2014/15	50.3	55.5	50.6	53.7	50.2	55.4	54.2	57.0	50.3	57.6	53.8	54.2	52.0	55.5	58.1	50.1	51.3	56.8	63.3	56.5	56.0	45.0	50.4	50.1
Population vaccination coverage - Flu, aged 65+ (%)	2014/15	72.7	76.0	73.0	74.1	75.3	77.4	75.1	75.3	73.8	77.0	75.5	76.5	70.8	73.4	76.0	75.3	76.0	78.5	80.1	75.6	78.9	71.4	72.4	74.7
			< 75	≥ 75																					
Population vaccination coverage - PPV (%)	2013/14	68.9	69.1	69.2	72.0	67.3	71.4	73.0	69.7	71.2	77.6	69.8	70.1	65.5	66.9	66.4	66.8	69.3	74.4	73.3	67.2	71.0	68.2	63.8	69.6
			< previous years England average	≥ previous years England average																					

Other

Incidence of malignant melanoma per 100,000 aged	2010 - 12	18.4	15.3	25.5	13.6	21.6	26.3	28.9	20.1	20.7	22.5	22.2	19.6	10.5	14.6	16.8	15.9	26.7	17.1	22.0	16.2	22.5	17.5	17.9	17.3
--	-----------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

Comparison with respect to England value / goal



Note: * - Disclosure control applied

<http://fingertips.phe.org.uk/profile/health-protection>


E0800007 Stockport

© Crown Copyright 2015. Updated 6th October 2015

Other continued

	Period	England	Blackburn	Blackpool	Bolton	Bury	Chesh East	Ch W & Ches	Cumbria	Halton	Knowsley	Lancs	Liverpool	Manchester	Oldham	Rochdale	Salford	Sefton	St. Helens	Stockport	Tameside	Trafford	Warrington	Wigan	Wirral
Incidence of malignant melanoma per 100,000 all ages	2010 - 12	23.3	18.2	28.2	17.0	24.1	31.8	32.1	24.4	29.2	26.3	26.2	23.8	15.2	17.2	21.2	20.7	33.0	20.5	26.4	19.5	26.7	20.2	20.9	23.3


Comparison with respect to England value / goal




Stockport

Childhood Immunisation


Population vaccination coverage - Dtap / IPV / Hib (1 year old)




Population vaccination coverage - MenC (1 year old)




Population vaccination coverage - Hepatitis B (1 year old)




Population vaccination coverage - Hib / MenC booster (2 years old)




Population vaccination coverage - MMR for one dose (2 years old)




Population vaccination coverage - Dtap / IPV / Hib (2 years old)




Population vaccination coverage - Hepatitis B (2 years old)




Population vaccination coverage - Hib / Men C booster (5 years)



Population vaccination coverage - MMR for one dose (5 years old)



Population vaccination coverage - MMR for two doses (5 years old)




Key England value and confidence interval ↑ Stockport Other local authority in North West

Childhood Immunisation continued

Population vaccination coverage - HPV (females 12-13 years old)

< previous years England average ≥ previous years England average




Key England value and confidence interval ↑ Stockport Other local authority in North West


Stockport

Infectious Diseases


Chlamydia proportion aged 15-24 screened




Chlamydia diagnosis rate per 100,000 aged 15-24




Syphilis diagnoses rate per 100,000 population




Gonorrhoea diagnosis rate per 100,000 population




HIV diagnosed prevalence rate per 1,000 aged 15-59




People presenting with HIV at a late stage of infection




HIV testing uptake, women (%)




HIV testing uptake, men (%)



HIV testing uptake, MSM (%)




TB incidence per 100,000 population




Key England value and confidence interval ↑ Stockport Other local authority in North West

Infectious Diseases continued


Treatment completion for TB (%)




Population vaccination coverage - Flu, at risk individuals (%)



Population vaccination coverage - Flu, aged 65+ (%)



Population vaccination coverage - PPV (%)




Key England value and confidence interval ↑ Stockport Other local authority in North West


Stockport

Other

Incidence of malignant melanoma per 100,000 aged



Incidence of malignant melanoma per 100,000 all ages



Key England value and confidence interval ↑ Stockport Other local authority in North West

Definitions

Childhood Immunisation

1 Unknown **2** All children at age one who have received the completed course of MenC vaccine as a percentage of all children for whom the PCT is responsible whose first birthday falls within the time period. **3** Unknown **4** All children at age two years who have received one booster dose of Hib/MenC vaccine resident within each reporting area as a percentage of all children at age two years. **5** Unknown **8** All children at age five years who have received one booster dose of Hib/MenC vaccine resident within each reporting area as a percentage of all children at age five years. **9** Unknown **11** All girls aged 12 to 13 years who have received all three doses of the HPV vaccine within each reporting area (at present PCT responsible population) as a percentage of all girls aged 12 to 13 years within each area.

Infectious Diseases

12 All chlamydia tests (asymptomatic screens and symptomatic tests) undertaken in 15 to 24 year olds attending GUM clinics, primary care and community services who are residents in England. Data excludes people accessing services located in England who are residents in Wales, Scotland, Northern Ireland or abroad. The England total includes tests which did not have sufficient location information to be attributed to a local authority of residence. **13** All chlamydia diagnoses in 15 to 24 year olds attending GUM clinics, primary care and community services who are residents in England, expressed as a rate per 100,000 population.

Data excludes people accessing services located in England who are residents in Wales, Scotland, Northern Ireland or abroad. The England total includes tests which did not have sufficient location information to be attributed to a local authority of residence. **14** All syphilis diagnoses among people accessing GUM services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad. **15** All gonorrhoea diagnoses among people accessing GUM services in England who are also residents in England, expressed as a rate per 100,000 population. Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

16 People aged 15 to 59 years who were seen at HIV care services. **17** Proportion of adults (aged 15 years or more) diagnosed with a CD4 cell count less than 350 cells per mm³ among all newly diagnosed adults with CD4 cell count available within 91 days of diagnosis and with known residence based information. **18** The number of 'Eligible new GUM Episodes' where a HIV test was accepted as a proportion of those where a HIV test was offered. Multiple episodes of HIV test offer and uptake are included per individual within a year.

'Eligible new GUM Episode' is defined as a visit to a GUM clinic including all subsequent GUM attendances in the following six weeks (i.e. eligibility for testing occurs only once every six weeks). Attendances by known HIV positive patients¹, or where a HIV test was not appropriate² are excluded.

¹ E1B, E2B, E3A2, E3B, H, H2

² P1C

Data exclude people accessing GUM services located in England who are residents in Wales, Scotland, Northern Ireland or abroad.

MSM includes men who reported a homosexual or bisexual orientation. For uptake of HIV testing, MSM is defined based on a patient's entire clinic attendance history (i.e. a man is classified as MSM for all attendance years including and following the earliest year a man identifies as MSM). **21** The three-year average number of reported new cases per year (based on case notification) per 100,000 population **22** Annual proportion of drug sensitive tuberculosis (TB) cases expected to complete treatment within 12 months who had completed treatment within 12 months of treatment start date (exclusions: cases with rifampicin resistance or MDR-TB, and cases with CNS, spinal, miliary or disseminated TB who may require longer than the standard 6 month treatment course) **23** Flu vaccine uptake (%) in at risk individuals aged 6 months to 65 years (excluding pregnant women), who received the flu vaccination between 1st September and 31st January in a primary care setting (GPs) **24** Flu vaccine uptake (%) in adults aged 65 and over, who received the flu vaccination between 1st September to 31st January in a primary care setting (GPs) **25** These data describe pneumococcal polysaccharide vaccine (PPV) uptake for the survey year, for those aged 65 years and over.

Other

26 Registrations for malignant melanoma of the skin (ICD-10 C43), directly age-standardised rate, persons, under 75, (3-year average of annual rates), per 100,000 2013 European Standard population. **27** Registrations for malignant melanoma of the skin (ICD-10 C43), directly age-standardised rate, all persons, per 100,000 2013 European Standard population