

Stockport

Introduction

The Public Health Outcomes Framework [Healthy lives, healthy people: Improving outcomes and supporting transparency](#) sets out a vision for public health, desired outcomes and the indicators that will help us understand how well public health is being improved and protected. The framework concentrates on two high-level outcomes to be achieved across the public health system, and groups further indicators into four 'domains' that cover the full spectrum of public health. The outcomes reflect a focus not only on how long people live, but on how well they live at all stages of life.

This profile currently presents data for the first set of indicators at England and upper tier local authority levels, collated by the public health observatories in England.

The profile allows you to:

- Compare your local authority against other authorities in the region
- Benchmark your local authority against the England average

Public Health Outcomes Framework baseline data will be revised and corrected in accordance with the [general DH statistical policy on revisions and corrections](#).

Contents

Spine charts

Improving the wider determinants of health	Page 2
Health improvement	Page 3
Health protection	Page 4
Healthcare public health and preventing premature mortality	Page 5

Tartan Rugs

Improving the wider determinants of health	Page 6
Health improvement	Page 7
Health protection	Page 8
Healthcare public health and preventing premature mortality	Page 9

Summary Charts

Improving the wider determinants of health	Page 10
Health improvement	Page 12
Health protection	Page 15
Healthcare public health and preventing premature mortality	Page 18

Inequalities

Inequalities	Page 21
--------------	---------



Crown copyright and database rights 2012 Ordnance Survey 100020290
OpenStreetMap contributors ODbL


www.phoutcomes.info

Produced by the Public Health Observatories in England.

For enquiries please contact phoutcomes@sepho.nhs.uk or call us on 01865 334736.



Spine Charts




























How to interpret the spine charts

England lowest England average England highest

25th percentile 75th percentile

● Significantly lower ○ Significantly higher ● Not significant

○ Significance Not Tested

Health improvement	Local value	Eng. value	Eng. lowest	Range	Eng. highest
2.01 Low birth weight of term babies	2.6	2.8	1.8		7.8
2.02i Breastfeeding - Breastfeeding initiation	72.3	73.7	38.4		92.9
2.02ii Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth	47.0	46.0	19.2		83.1
2.03 Smoking status at time of delivery	15.7	13.2	2.9		29.7
2.04 Under 18 conceptions	33.2	35.4	6.2		64.7
2.06i Excess weight in 4-5 and 10-11 year olds - 4-5 year olds	18.5	22.6	14.9		28.5
2.06ii Excess weight in 4-5 and 10-11 year olds - 10-11 year olds	30.6	33.4	24.6		41.9
2.08 Emotional well-being of looked after children	13.5	13.9	10.1		22.8
2.14 Smoking prevalence - adults (over 18s)	21.5	20.0	13.2		29.3
2.15 Successful completion of drug treatment	12.2	12.3	5.1		33.6
2.17 Recorded diabetes	5.4	5.5	3.4		7.7
2.20i Cancer screening coverage - Breast cancer	74.8	76.9	59.4		85.1
2.20ii Cancer screening coverage - Cervical cancer	78.0	75.3	60.3		81.4
2.21vii Access to non-cancer screening programmes - Diabetic retinopathy	79.2	79.2	20.2		97.0
2.22i Take up of NHS Health Check Programme by those eligible - Health check offered	18.0	13.9	0.0		91.1
2.22ii Take up of NHS Health Check programme by those eligible - Health check take up	74.7	51.6	8.6		100.0
2.23i Self-reported well-being - people with low satisfaction score	27.2	24.3	14.6		30.5
2.23ii Self-reported well-being - people with a low worthwhile score	22.8	20.1	12.8		25.4
2.23iii Self-reported well-being - people with a low happiness score	32.0	29.0	19.2		36.6
2.23iv Self-reported well-being - people with a high anxiety score	43.1	40.1	34.4		48.3
2.24i Injuries due to falls in people aged 65 and over (persons)	2,242	1,642	923		3,127
2.24i Injuries due to falls in people aged 65 and over (males)	1,750	1,269	610		2,647
2.24i Injuries due to falls in people aged 65 and over (females)	2,733	2,014	1,237		3,694
2.24ii Injuries due to falls in people aged 65 and over - Aged 65-79	1,378	959	487		1,822
2.24iii Injuries due to falls in people aged 65 and over - Aged 80+	6,127	4,711	2,831		9,097

How to interpret the spine charts

England lowest England average England highest
 25th percentile 75th percentile

● Significantly lower ○ Significantly higher ● Not significant
 ○ Significance Not Tested

Stockport

Health protection	Local value	Eng. value	Eng. lowest	Range	Eng. highest
3.01 Fraction of mortality attributable to particulate air pollution	5.7	5.6	3.6		8.3
3.02 Chlamydia diagnoses (15-24 year olds)	2,226	2,220	1,065		5,219
3.03i Population vaccination coverage - Hepatitis B (1 year old)	-	-	33.3		100.0
3.03ii Population vaccination coverage - Hepatitis B (2 years old)	-	-	2.4		100.0
3.03iii Population vaccination coverage - Dtap / IPV / Hib (1 year old)	95.1	94.2	82.5		98.2
3.03iii Population vaccination coverage - Dtap / IPV / Hib (2 years old)	96.9	96.0	87.3		98.9
3.03iv Population vaccination coverage - MenC	94.6	93.4	81.0		97.5
3.03v Population vaccination coverage - PCV	94.6	93.6	80.5		97.8
3.03vi Population vaccination coverage - Hib / MenC booster	93.4	91.6	74.1		97.6
3.03vii Population vaccination coverage - PCV booster	91.0	89.3	70.0		98.2
3.03viii Population vaccination coverage - MMR for one dose (2 years old)	91.0	89.1	75.4		96.8
3.03ix Population vaccination coverage - MMR for one dose (5 years old)	96.1	91.9	80.7		97.8
3.03x Population vaccination coverage - MMR for two doses (5 years old)	85.9	84.2	61.0		95.1
3.03xii Population vaccination coverage - HPV	90.4	84.2	56.4		95.1
3.03xiii Population vaccination coverage - PPV	76.0	70.5	46.8		76.0
3.03xiv Population vaccination coverage - Flu (aged 65+)	76.3	72.8	67.2		78.7
3.03xv Population vaccination coverage - Flu (at risk individuals)	56.9	50.4	35.3		61.5
3.04 People presenting with HIV at a late stage of infection	42.1	50.0	0.0		75.0
3.05i Treatment completion for TB	-	84.3	55.6		98.3
3.05ii Treatment completion for TB - TB incidence	6.1	15.4	1.1		137.0
3.06 Public sector organisations with a board approved sustainable development management plan	80.0	74.3	20.0		100.0

How to interpret the spine charts

England lowest England average England highest

25th percentile 75th percentile

● Significantly lower ● Significantly higher ● Not significant

○ Significance Not Tested

Healthcare public health and preventing premature mortality		Local value	Eng. value	Eng. lowest	Range	Eng. highest
4.03	Mortality rate from causes considered preventable (provisional)	158.0	146.1	100.7		264.2
4.04i	Under 75 mortality rate from cardiovascular diseases (provisional)	64.5	62.0	40.3		116.0
4.04ii	Under 75 mortality rate from cardiovascular diseases considered preventable (provisional)	42.9	40.6	23.0		75.1
4.05i	Under 75 mortality rate from cancer (provisional)	114.1	106.7	82.5		152.0
4.05ii	Under 75 mortality rate from cancer considered preventable (provisional)	68.8	61.9	45.2		98.1
4.06i	Under 75 mortality rate from liver disease (provisional)	19.4	14.4	8.7		39.3
4.06ii	Under 75 mortality rate from liver disease considered preventable (provisional)	17.5	12.7	7.5		37.0
4.07i	Under 75 mortality rate from respiratory disease (provisional)	20.9	23.4	13.7		62.0
4.07ii	Under 75 mortality rate from respiratory disease considered preventable (provisional)	11.1	11.6	5.3		28.6
4.08	Mortality rate from communicable diseases (provisional)	23.5	29.9	22.0		54.9
4.10	Suicide rate (provisional)	7.9	7.9	4.3		13.9
4.11	Emergency readmissions within 30 days of discharge from hospital (persons)	12.8	11.8	8.1		13.8
4.11	Emergency readmissions within 30 days of discharge from hospital (males)	13.9	12.1	8.6		14.8
4.11	Emergency readmissions within 30 days of discharge from hospital (females)	11.9	11.4	7.2		13.2
4.12i	Preventable sight loss - Age related macular degeneration (AMD)	17.7	109.4	10.0		224.4
4.12ii	Preventable sight loss - Glaucoma		11.8	0.0		36.9
4.12iii	Preventable sight loss - Diabetic eye disease		3.6	0.0		12.9
4.12iv	Preventable sight loss - Sight loss certifications	9.1	43.1	2.9		85.7
4.14i	Hip fractures in people aged 65 and over	401	452	341		641
4.14ii	Hip fractures in people aged 65 and over - Aged 65-79	241	224	121		330
4.14iii	Hip fractures in people aged 65 and over - Aged 80+	1,120	1,476	973		2,267

How to interpret the spine charts

England lowest England average England highest
 25th percentile 75th percentile

● Significantly lower ○ Significantly higher ● Not significant
 ○ Significance Not Tested

Tartan Rugs

Improving the wider determinants of health

Indicator	Period	England	Blackburn with Darwen	Blackpool	Bolton	Bury	Cheshire East	Cheshire West and Chester	Cumbria	Hallam	Knowsley	Lancashire	Liverpool	Manchester	Oldham	Rockdale	Salford	Sefton	St. Helens	Stockport	Tameside	Tralford	Warrington	Wigan	Wirral
1.01 Children in poverty	2010	21.1	26.2	31.1	23.3	18.3	13.0	16.6	15.5	27.3	32.3	18.4	33.7	38.0	27.3	27.0	29.3	20.9	25.8	16.3	24.1	15.2	14.9	20.3	25.3
1.03 Pupil absence	2010/11	5.79	6.18	6.48	5.56	5.19	5.33	5.78	5.91	5.73	7.05	5.33	6.91	6.32	5.74	5.63	6.15	5.79	5.62	5.65	5.49	5.16	5.42	5.48	5.62
1.04i First time entrants to the youth justice system	2011	749	694	1,448	501	594	578	664	959	635	709	867	924	1,333	608	703	837	775	424	512	808	507	439	511	694
1.05 16-18 year olds not in education employment or training	2011	6.10	7.90	7.80	7.20	6.60	5.50	4.90	5.20	10.30	9.90	6.20	11.50	7.00	8.60	6.70	6.00	7.80	8.40	6.80	7.30	5.00	5.90	7.20	8.90
1.06i Adults with a learning disability who live in stable and appropriate accommodation	2010/11	59.0	62.4	65.0	49.0	80.8	35.3	60.3	70.2	79.5	52.2	47.9	79.9	64.6	60.0	52.1	67.7	62.5	77.9	65.1	65.2	53.7	72.4	37.7	55.9
1.06ii Adults in contact with secondary mental health services who live in stable and appropriate accommodation	2010/11	66.8	59.1	75.1	89.9	73.5	78.1	76.1	83.1	80.0	80.9	65.5	72.0	69.8	75.9	76.5	84.5	70.9	79.9	78.4	81.8	87.2	77.1	61.0	84.9
1.10 Killed and seriously injured casualties on England's roads	2009-11	42.2	49.5	49.3	31.3	32.3	69.2	62.1	49.2	34.1	34.0	58.0	47.0	35.2	33.4	25.7	29.5	30.3	34.0	22.6	25.2	22.5	50.8	26.1	40.7
1.12i Violent crime (including sexual violence) - Hospital admissions for violence	2009-11	67.7	116.0	166.6	66.3	83.4	82.3	76.3	56.9	155.0	174.4	81.4	213.5	122.5	143.3	141.5	137.6	111.7	163.7	92.0	98.0	74.0	124.5	115.9	135.7
1.12ii Violent crime (including sexual violence) - violence offences	2011/12	13.6	16.4	30.0	15.8	12.9	10.4	10.9	12.7	14.6	7.7	12.5	14.6	20.7	15.4	17.1	15.3	8.3	7.9	11.1	16.2	10.2	12.6	10.1	9.1
1.13i Re-offending levels - percentage of offenders who re-offend	2010	26.8	30.7	31.0	27.6	26.4	22.9	26.2	28.4	24.5	28.3	28.9	32.8	29.5	26.7	28.5	28.3	28.8	30.5	28.1	28.1	23.3	25.3	26.6	32.9
1.13ii Re-offending levels - average number of re-offences per offender	2010	0.8	1.0	1.0	0.8	0.8	0.6	0.7	0.8	0.6	0.8	0.9	1.0	0.9	0.7	0.8	0.8	0.8	1.0	0.8	0.9	0.7	0.7	0.7	1.1
1.14i The percentage of the population affected by noise - number of complaints about noise	2010/11	7.8	4.8	10.5	3.6	5.0	3.9	3.8	3.9	8.6	3.5	5.5	6.2	3.6	2.8	5.6	4.0	3.5	4.2	4.4	6.1	4.1	5.2	2.2	3.2
1.15i Statutory homelessness - homelessness acceptances	2010/11	2.0	0.4	0.9	2.4	1.5	0.5	0.5	1.9	0.8	1.4	0.8	1.1	3.2	0.7	0.8	2.5	0.4	3.0	0.9	0.8	1.5	2.5	1.7	0.6
1.15ii Statutory homelessness - households in temporary accommodation	2010/11	2.2	0.1	0.4	0.4	0.1	0.1	0.2	0.5	0.1	0.1	0.2	0.3	1.4	0.1	0.2	0.3	0.1	0.3	0.2	0.5	0.5	0.2	0.1	0.0
1.16 Utilisation of outdoor space for exercise/health reasons	Mar 2009 - Feb 2012	14.0	17.5	-	10.8	12.3	14.3	19.4	12.4	7.4	4.5	14.9	8.8	12.0	6.6	-	9.4	14.0	7.2	13.6	17.0	20.6	5.8	5.8	10.7

When no preferred polarity:

Lower Similar Higher

Not compared

Health improvement

Indicator	Period	England	Blackburn with Darwen	Blackpool	Bolton	Bury	Cheshire East	Cheshire West and Chester	Cumbria	Halton	Knowsley	Lancashire	Liverpool	Manchester	Oldham	Rochdale	Salford	Sefton	St. Helens	Stockport	Tameside	Trafford	Warrington	Wigan	Wirral
2.01 Low birth weight of term babies	2010	2.8	4.3	3.3	3.2	3.0	2.4	2.3	2.4	3.0	3.0	2.9	3.0	3.4	4.3	3.5	2.9	2.4	3.1	2.6	3.0	3.4	2.8	2.3	2.3
2.02i Breastfeeding - Breastfeeding initiation	2010/11	73.7	72.6	56.8	66.9	69.2	67.7	68.9	67.7	48.6	38.4	67.1	52.6	68.3	66.2	60.6	64.2	55.8	48.6	72.3	61.2	76.6	60.8	56.0	55.5
2.02ii Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth	2010/11	46.0	32.9	24.7	33.7	40.2	38.7	36.6	30.6	19.2	19.2	35.4	27.2	42.1	34.1	39.2	34.3	26.9	19.2	47.0	34.9	50.3	34.2	23.1	29.9
2.03 Smoking status at time of delivery	2011/12	13.2	18.5	29.7	18.3	16.6	15.4	12.7	15.1	21.1	22.6	19.7	18.3	14.6	15.8	19.7	16.4	16.6	21.1	15.7	20.9	8.2	12.0	17.5	13.2
2.04 Under 18 conceptions	2010	35.4	41.4	50.0	39.3	41.1	32.2	35.6	31.1	63.3	39.1	37.5	44.5	57.2	42.1	37.5	57.9	29.1	51.2	33.2	48.3	28.7	34.0	47.4	47.3
2.06i Excess weight in 4-5 and 10-11 year olds - 4-5 year olds	2010/11	22.6	21.4	24.0	21.8	21.2	20.5	22.7	24.8	28.4	25.3	23.3	25.8	25.3	22.3	24.1	22.8	24.6	22.6	18.5	23.3	20.4	21.0	24.7	24.5
2.06ii Excess weight in 4-5 and 10-11 year olds - 10-11 year olds	2010/11	33.4	31.7	32.3	35.7	35.1	30.7	34.5	36.1	37.5	39.5	31.8	37.6	38.7	31.2	36.8	38.1	35.7	37.4	30.6	34.0	30.5	32.5	33.8	33.8
2.08 Emotional well-being of looked after children	2010/11	13.9	14.5	13.3	12.2	14.8	14.9	14.4	13.4	12.4	11.0	14.2	12.5	12.5	12.3	12.3	13.2	14.1	12.1	13.5	12.1	12.6	13.3	12.7	12.5
2.14 Smoking prevalence - adults (over 18s)	2011/12	20.0	27.2	25.9	22.9	22.0	15.3	19.5	21.7	23.1	27.6	21.2	24.2	27.2	24.9	23.6	25.4	18.3	20.7	21.5	24.1	19.5	14.4	22.8	21.8
2.15 Successful completion of drug treatment	2010	12.3	9.6	9.9	8.6	14.3	8.2	10.8	10.6	14.7	27.6	9.4	22.4	8.4	9.5	9.4	11.2	18.2	8.8	12.2	16.5	16.3	18.0	11.1	13.8
2.17 Recorded diabetes	2010	5.5	6.7	6.5	6.8	5.4	5.6	5.5	5.4	6.8	6.4	5.8	5.4	5.4	6.1	6.2	5.3	5.7	6.6	5.4	6.2	5.6	6.0	6.2	6.0
2.20i Cancer screening coverage - Breast cancer	2012	76.9	68.3	68.8	75.1	77.2	80.6	79.7	78.5	75.8	72.2	74.7	71.8	62.9	72.7	72.2	70.7	75.8	77.2	74.8	74.6	75.6	78.4	74.7	77.5
2.20ii Cancer screening coverage - Cervical cancer	2012	75.3	69.5	71.9	74.5	77.2	78.1	77.8	78.8	72.5	74.6	75.2	69.8	68.8	74.8	74.5	72.1	72.1	76.8	78.0	75.3	76.0	77.4	77.1	74.6
2.21vii Access to non-cancer screening programmes - Diabetic retinopathy	2010/11	79.2	77.8	75.3	79.7	73.1	85.8	80.9	72.9	85.1	84.0	75.4	81.3	78.1	80.9	80.3	81.9	92.7	85.1	79.2	83.1	85.1	84.9	89.7	82.2
2.22i Take up of NHS Health Check Programme by those eligible - Health check offered	2011/12	13.9	38.4	5.9	9.7	3.7	9.3	3.8	0.5	24.9	18.1	12.6	91.1	26.0	7.7	27.1	14.9	21.0	24.9	18.0	9.9	18.0	4.5	16.7	19.9
2.22ii Take up of NHS Health Check programme by those eligible - Health check take up	2011/12	51.6	38.8	72.5	61.4	57.0	64.0	64.0	100.0	43.2	17.6	73.7	32.7	30.0	100.0	62.8	18.4	52.5	43.2	74.7	41.6	78.7	17.2	68.5	67.6
2.23i Self-reported well-being - people with low satisfaction score	2011/12	24.3	28.9	29.1	27.2	27.2	18.8	23.2	20.9	25.3	27.2	23.2	27.2	27.2	27.2	27.2	27.2	27.2	27.2	27.2	27.2	27.2	20.6	27.2	27.2
2.23ii Self-reported well-being - people with a low worthwhile score	2011/12	20.1	24.3	24.4	22.8	22.8	16.6	19.1	17.6	17.6	21.1	18.5	21.1	22.8	22.8	22.8	22.8	21.1	21.1	22.8	22.8	22.8	14.2	22.8	21.1
2.23iii Self-reported well-being - people with a low happiness score	2011/12	29.0	32.0	36.6	32.0	32.0	24.5	27.1	26.2	29.9	31.5	29.4	31.5	32.0	32.0	32.0	32.0	31.5	31.5	32.0	32.0	32.0	30.3	32.0	31.5
2.23iv Self-reported well-being - people with a high anxiety score	2011/12	40.1	42.0	41.1	43.1	43.1	36.3	39.4	36.7	39.3	41.1	39.6	41.1	43.1	43.1	43.1	43.1	41.1	41.1	43.1	43.1	43.1	40.7	43.1	41.1
2.24i Injuries due to falls in people aged 65 and over (persons)	2010/11	1,642	2,033	1,953	1,080	1,723	2,133	1,903	1,314	3,127	2,495	1,623	2,906	2,183	1,981	2,198	2,539	1,947	2,483	2,242	1,611	1,855	2,747	2,300	2,142
2.24i Injuries due to falls in people aged 65 and over (males)	2010/11	1,269	1,831	1,471	784	1,460	1,679	1,392	990	2,559	2,153	1,233	2,647	1,954	1,620	1,688	2,069	1,710	1,823	1,750	1,191	1,443	2,068	1,801	1,692
2.24i Injuries due to falls in people aged 65 and over (females)	2010/11	2,014	2,236	2,435	1,376	1,987	2,587	2,415	1,638	3,694	2,837	2,013	3,166	2,412	2,341	2,707	3,010	2,185	3,142	2,733	2,032	2,267	3,426	2,800	2,593
2.24ii Injuries due to falls in people aged 65 and over - Aged 65-79	2010/11	959	1,097	1,315	689	1,002	1,269	1,109	858	1,800	1,524	983	1,822	1,481	1,304	1,360	1,574	1,171	1,393	1,378	1,107	1,059	1,606	1,351	1,346
2.24iii Injuries due to falls in people aged 65 and over - Aged 80+	2010/11	4,711	6,247	4,823	2,839	4,971	6,023	5,479	3,368	9,097	6,862	4,501	7,784	5,343	5,028	5,968	6,881	5,442	7,388	6,127	3,882	5,440	7,879	6,572	5,727

Stockport

Health protection

Indicator	Period	England	Blackburn with Darwen	Blackpool	Bolton	Bury	Cheshire East	Cheshire West and Chester	Cumbria	Halton	Knowsley	Lancashire	Liverpool	Manchester	Oldham	Rochdale	Salford	Sefton	St. Helens	Stockport	Tameside	Trafford	Warrington	Wigan	Wirral
3.01 Fraction of mortality attributable to particulate air pollution	2010	5.6	5.1	4.3	5.5	5.5	4.9	4.7	3.6	5.5	5.5	4.6	5.4	5.9	5.7	5.5	5.9	4.6	5.5	5.7	5.8	5.6	5.4	5.2	4.7
3.02 Chlamydia diagnoses (15-24 year olds)	2010	2,220	2,442	4,441	3,031	2,698	2,078	2,463	2,358	3,397	2,322	2,524	2,277	2,251	2,678	3,005	2,841	2,085	2,977	2,226	3,383	2,664	2,961	2,454	2,923
3.03i Population vaccination coverage - Hepatitis B (1 year old)	2010/11	-	-	-	34.8	-	-	-	-	-	-	52.9	100.0	84.4	70.7	-	94.6	85.7	-	-	53.3	80.0	100.0	80.0	-
3.03i Population vaccination coverage - Hepatitis B (2 years old)	2010/11	-	-	-	35.7	-	-	-	-	-	-	-	100.0	86.7	49.2	-	57.1	72.7	-	-	10.9	53.3	-	100.0	75.0
3.03iii Population vaccination coverage - Dtap / IPV / Hib (1 year old)	2010/11	94.2	94.0	95.6	95.5	92.2	96.2	95.4	97.4	92.5	93.0	95.0	95.4	92.6	96.3	95.3	97.3	94.9	92.5	95.1	95.4	95.6	95.8	95.9	94.9
3.03iii Population vaccination coverage - Dtap / IPV / Hib (2 years old)	2010/11	96.0	96.9	97.5	97.5	95.8	97.5	96.9	97.9	95.5	94.8	96.7	97.2	95.2	97.4	97.0	98.6	97.1	95.5	96.9	96.7	97.5	97.4	96.6	97.2
3.03iv Population vaccination coverage - MenC	2010/11	93.4	94.2	94.8	94.7	91.6	96.3	95.0	96.9	92.9	93.9	94.7	94.5	91.0	95.9	95.0	94.5	94.4	92.9	94.6	95.2	94.9	95.5	95.7	94.7
3.03v Population vaccination coverage - PCV	2010/11	93.6	93.8	94.8	95.6	91.3	96.6	95.6	97.2	93.3	94.8	94.5	95.2	91.4	96.2	95.0	95.0	94.3	93.3	94.6	95.4	95.1	95.4	96.3	94.2
3.03vi Population vaccination coverage - Hib / MenC booster	2010/11	91.6	93.6	92.1	93.8	90.9	95.1	95.4	96.6	93.3	93.8	93.5	94.0	85.8	93.8	93.2	97.6	93.2	93.3	93.4	92.7	94.7	93.2	93.3	94.0
3.03vii Population vaccination coverage - PCV booster	2010/11	89.3	91.1	89.8	93.9	89.3	94.9	92.0	94.7	87.9	84.3	90.4	93.2	85.5	92.0	92.3	95.4	91.8	87.9	91.0	90.8	93.3	91.0	93.5	90.3
3.03viii Population vaccination coverage - MMR for one dose (2 years old)	2010/11	89.1	90.9	88.2	93.8	89.7	91.8	92.8	94.5	87.1	89.3	90.3	92.1	86.1	92.4	93.6	96.8	91.4	87.1	91.0	92.2	92.3	91.8	92.7	90.1
3.03ix Population vaccination coverage - MMR for one dose (5 years old)	2010/11	91.9	95.9	93.8	95.6	93.6	95.0	92.9	95.9	92.0	93.9	94.0	94.5	91.1	96.7	95.4	97.3	94.9	92.0	96.1	95.5	93.0	92.2	94.1	94.7
3.03x Population vaccination coverage - MMR for two doses (5 years old)	2010/11	84.2	87.3	83.0	89.9	82.5	87.4	86.2	91.4	79.9	86.0	85.7	85.6	81.0	92.0	88.4	95.1	85.3	79.9	85.9	87.1	85.4	84.6	87.6	88.2
3.03xii Population vaccination coverage - HPV	2010/11	84.2	86.1	73.4	81.5	87.3	92.5	91.2	87.6	90.3	90.7	90.8	82.7	82.8	90.0	90.9	80.6	90.0	90.3	90.4	93.7	87.4	91.0	80.9	93.6
3.03xiii Population vaccination coverage - PPV	2010/11	70.5	71.7	69.6	72.7	62.4	73.9	74.4	71.9	69.3	63.3	72.4	67.6	69.3	69.6	67.7	68.1	70.0	69.3	76.0	73.9	69.3	70.0	61.8	67.0
3.03xiv Population vaccination coverage - Flu (aged 65+)	2010/11	72.8	73.5	71.4	72.0	72.1	77.3	75.6	73.9	74.8	76.8	74.5	74.8	71.8	74.2	75.2	74.1	73.6	74.8	76.3	76.1	78.7	72.5	73.7	75.6
3.03xv Population vaccination coverage - Flu (at risk individuals)	2010/11	50.4	53.4	49.1	54.8	45.4	56.1	53.0	52.7	52.6	52.8	53.4	53.4	53.2	57.3	54.0	50.7	49.8	52.6	56.9	56.3	51.6	49.5	52.8	55.5
3.04 People presenting with HIV at a late stage of infection	2009-11	50.0	54.2	29.4	54.0	60.6	50.0	73.9	50.0	53.3	66.7	49.5	63.5	52.8	59.3	59.3	50.5	54.8	47.4	42.1	61.8	37.5	46.7	55.8	61.3
3.05i Treatment completion for TB	2011	84.3	91.7	-	89.6	92.3	-	-	-	-	-	78.5	83.3	87.8	84.9	92.1	81.8	-	-	-	81.8	90.5	-	-	-
3.05ii Treatment completion for TB - TB incidence	2009-11	15.4	42.8	12.9	25.3	10.7	2.2	2.6	1.6	1.1	2.5	9.3	11.1	41.6	20.5	21.3	13.1	3.2	2.1	6.1	17.7	12.4	5.4	4.3	3.9
3.06 Public sector organisations with a board approved sustainable development management plan	2010/11	74.3	100.0	80.0	100.0	80.0	85.7	100.0	66.7	80.0	37.5	72.7	44.4	77.8	80.0	80.0	100.0	66.7	85.7	80.0	83.3	57.1	60.0	60.0	66.7

When no preferred polarity:

Lower
Similar
Higher
Not compared

Healthcare public health and preventing premature mortality

Indicator	Period	England	Blackburn with Darwen	Blackpool	Bolton	Bury	Cheshire East	Cheshire West and Chester	Cumbria	Halton	Knowsley	Lancashire	Liverpool	Manchester	Oldham	Rockdale	Salford	Sefton	St. Helens	Stockport	Tameside	Trafford	Warrington	Wigan	Wirral
4.03 Mortality rate from causes considered preventable (provisional)	2009-11	146.1	203.7	244.6	180.6	161.9	131.9	141.6	154.7	196.2	212.5	170.3	224.2	264.2	196.5	201.3	222.0	164.9	186.7	158.0	217.4	152.4	157.9	182.7	176.1
4.04i Under 75 mortality rate from cardiovascular diseases (provisional)	2009-11	62.0	91.4	100.9	81.2	75.4	55.3	54.4	65.9	83.4	81.6	71.8	92.0	116.0	81.9	87.8	92.8	65.3	73.7	64.5	92.3	62.9	76.1	77.6	68.7
4.04ii Under 75 mortality rate from cardiovascular diseases considered preventable (provisional)	2009-11	40.6	64.4	70.0	53.0	48.2	35.1	36.5	44.1	60.3	58.6	48.2	58.1	75.1	55.9	59.8	62.7	40.3	50.7	42.9	66.7	38.9	52.4	53.2	44.1
4.05i Under 75 mortality rate from cancer (provisional)	2009-11	106.7	114.9	135.0	108.9	112.3	100.3	105.8	108.8	140.0	139.7	114.6	147.5	152.0	131.3	126.1	133.8	111.5	115.6	114.1	126.9	107.7	102.6	120.1	119.9
4.05ii Under 75 mortality rate from cancer considered preventable (provisional)	2009-11	61.9	75.6	81.7	65.0	64.6	57.1	60.4	62.6	82.5	87.7	68.9	91.5	98.1	81.5	77.9	85.1	67.7	70.7	68.8	78.5	66.9	58.1	70.8	74.6
4.06i Under 75 mortality rate from liver disease (provisional)	2009-11	14.4	25.9	39.3	19.1	18.8	13.4	16.8	12.9	22.1	21.8	18.3	25.8	30.6	23.0	24.4	22.7	24.4	28.5	19.4	24.6	14.6	17.4	23.2	24.9
4.06ii Under 75 mortality rate from liver disease considered preventable (provisional)	2009-11	12.7	17.7	37.0	16.8	15.2	12.1	14.6	10.7	18.5	16.7	15.7	22.8	27.6	20.2	20.8	21.1	22.0	23.1	17.5	22.5	13.6	15.9	17.9	22.7
4.07i Under 75 mortality rate from respiratory disease (provisional)	2009-11	23.4	36.0	62.0	31.9	30.3	21.1	25.7	23.7	31.3	43.3	29.3	41.8	51.6	36.8	35.9	49.1	27.6	30.5	20.9	33.0	22.8	25.1	31.8	29.5
4.07ii Under 75 mortality rate from respiratory disease considered preventable (provisional)	2009-11	11.6	19.5	27.7	16.1	14.5	10.0	12.5	11.7	16.0	25.5	14.4	23.4	28.6	19.6	18.1	26.5	13.8	15.3	11.1	20.3	11.2	11.2	14.7	15.4
4.08 Mortality rate from communicable diseases (provisional)	2009-11	29.9	35.5	54.9	39.4	33.7	25.1	31.4	27.7	34.5	35.9	35.2	40.6	47.9	35.7	32.4	49.0	27.3	39.5	23.5	35.2	29.4	33.3	41.5	32.8
4.10 Suicide rate (provisional)	2009-11	7.9	12.7	11.3	12.0	7.9	7.7	8.3	9.5	8.1	8.3	9.5	6.2	13.9	7.7	9.9	10.7	8.2	8.3	7.9	10.4	7.5	6.1	12.5	6.2
4.11 Emergency readmissions within 30 days of discharge from hospital (persons)	2010/11	11.8	13.8	13.3	11.6	12.0	12.7	12.1	10.5	12.8	13.4	12.2	13.4	12.9	12.8	12.5	12.2	12.2	12.5	12.8	12.3	11.4	12.7	12.9	13.0
4.11 Emergency readmissions within 30 days of discharge from hospital (males)	2010/11	12.1	14.8	14.0	12.6	12.1	12.9	12.6	10.8	13.4	13.6	12.8	14.8	13.9	13.6	12.7	13.3	13.6	13.1	13.9	13.1	11.9	13.1	13.3	13.8
4.11 Emergency readmissions within 30 days of discharge from hospital (females)	2010/11	11.4	12.9	12.7	10.6	11.8	12.4	11.6	10.1	12.2	13.1	11.5	12.2	12.0	12.0	12.2	11.3	11.0	12.0	11.9	11.6	11.0	12.4	12.5	12.4
4.12i Preventable sight loss - Age related macular degeneration (AMD)	2010/11	109.4	177.1	110.6	68.7	47.7	89.7	117.4	138.0	172.8	133.2	107.1	111.0	10.0	87.7	78.7	83.9	134.9	224.4	17.7	23.4	19.9	122.0	98.1	192.5
4.12ii Preventable sight loss - Glaucoma	2010/11	11.8	-	14.6	6.2	6.5	6.4	7.4	18.4	10.2	16.3	15.1	8.1	-	4.8	8.1	6.9	14.4	36.9	-	-	-	9.8	7.6	19.3
4.12iii Preventable sight loss - Diabetic eye disease	2010/11	3.6	-	5.0	-	-	4.1	3.2	5.5	6.9	-	3.1	1.8	-	4.4	2.9	0.0	5.0	9.1	-	-	0.0	2.9	3.0	3.8
4.12iv Preventable sight loss - Sight loss certifications	2010/11	43.1	50.7	59.3	32.6	29.4	44.5	44.9	65.1	62.9	51.6	49.3	40.7	4.8	30.9	35.6	21.0	55.7	85.7	9.1	8.3	9.2	47.3	38.4	72.5
4.14i Hip fractures in people aged 65 and over	2010/11	452	435	501	414	514	438	425	438	499	507	458	556	497	448	462	525	453	489	401	415	371	473	534	501
4.14ii Hip fractures in people aged 65 and over - Aged 65-79	2010/11	224	189	310	204	240	215	203	235	266	293	239	326	329	286	239	279	244	257	241	222	174	262	281	245
4.14iii Hip fractures in people aged 65 and over - Aged 80+	2010/11	1,476	1,540	1,363	1,356	1,745	1,444	1,424	1,351	1,550	1,474	1,446	1,590	1,253	1,177	1,465	1,634	1,394	1,530	1,120	1,285	1,253	1,426	1,673	1,654

When no preferred polarity:

Lower
Similar
Higher


Not compared

Summary Charts


Improving the wider determinants of health

Indicators for tracking progress against wider factors that affect health and wellbeing.


1.01. Children in poverty




1.03. Pupil absence




1.04i. First time entrants to the youth justice system




1.05. 16-18 year olds not in education employment or training




1.06i. Adults with a learning disability who live in stable and appropriate accommodation




1.06ii. Adults in contact with secondary mental health services who live in stable and appropriate accommodation




1.10. Killed and seriously injured casualties on England's roads




1.12i. Violent crime (including sexual violence) - Hospital admissions for violence



1.12ii. Violent crime (including sexual violence) - violence offences



1.13i. Re-offending levels - percentage of offenders who re-offend




Key ■ England average and confidence interval ↑ Stockport ■ Other local authorities in North West


Improving the wider determinants of health

Indicators for tracking progress against wider factors that affect health and wellbeing.


1.13ii. Re-offending levels - average number of re-offences per offender




1.14i. The percentage of the population affected by noise - number of complaints about noise




1.15i. Statutory homelessness - homelessness acceptances



1.15ii. Statutory homelessness - households in temporary accommodation



1.16. Utilisation of outdoor space for exercise/health reasons




Stockport


Health improvement

Indicators for tracking progress against helping people to live healthy lifestyles and make healthy choices.


2.01. Low birth weight of term babies




2.02i. Breastfeeding - Breastfeeding initiation




2.02ii. Breastfeeding - Breastfeeding prevalence at 6-8 weeks after birth




2.03. Smoking status at time of delivery




2.04. Under 18 conceptions




2.06i. Excess weight in 4-5 and 10-11 year olds - 4-5 year olds




2.06ii. Excess weight in 4-5 and 10-11 year olds - 10-11 year olds




2.08. Emotional well-being of looked after children



2.14. Smoking prevalence - adults (over 18s)



2.15. Successful completion of drug treatment




Key ■ England average and confidence interval ↑ Stockport ■ Other local authorities in North West


Health improvement

Indicators for tracking progress against helping people to live healthy lifestyles and make healthy choices.


2.17. Recorded diabetes




2.20i. Cancer screening coverage - Breast cancer




2.20ii. Cancer screening coverage - Cervical cancer




2.21vii. Access to non-cancer screening programmes - Diabetic retinopathy




2.22i. Take up of NHS Health Check Programme by those eligible - Health check offered




2.22ii. Take up of NHS Health Check programme by those eligible - Health check take up




2.23i. Self-reported well-being - people with low satisfaction score




2.23ii. Self-reported well-being - people with a low worthwhile score



2.23iii. Self-reported well-being - people with a low happiness score



2.23iv. Self-reported well-being - people with a high anxiety score




Key ■ England average and confidence interval ↑ Stockport ■ Other local authorities in North West

Stockport


Health improvement

Indicators for tracking progress against helping people to live healthy lifestyles and make healthy choices.


2.24i. Injuries due to falls in people aged 65 and over (persons)




2.24i. Injuries due to falls in people aged 65 and over (males)




2.24i. Injuries due to falls in people aged 65 and over (females)



2.24ii. Injuries due to falls in people aged 65 and over - Aged 65-79




2.24iii. Injuries due to falls in people aged 65 and over - Aged 80+




Health protection


3.01. Fraction of mortality attributable to particulate air pollution




3.02. Chlamydia diagnoses (15-24 year olds)




3.03i. Population vaccination coverage - Hepatitis B (1 year old)




3.03i. Population vaccination coverage - Hepatitis B (2 years old)




3.03iii. Population vaccination coverage - Dtap / IPV / Hib (1 year old)




3.03iii. Population vaccination coverage - Dtap / IPV / Hib (2 years old)




3.03iv. Population vaccination coverage - MenC




3.03v. Population vaccination coverage - PCV



3.03vi. Population vaccination coverage - Hib / MenC booster



3.03vii. Population vaccination coverage - PCV booster




Key ■ England average and confidence interval ↑ Stockport ■ Other local authorities in North West


Stockport

Health protection


3.03viii. Population vaccination coverage - MMR for one dose (2 years old)




3.03ix. Population vaccination coverage - MMR for one dose (5 years old)




3.03x. Population vaccination coverage - MMR for two doses (5 years old)




3.03xii. Population vaccination coverage - HPV




3.03xiii. Population vaccination coverage - PPV




3.03xiv. Population vaccination coverage - Flu (aged 65+)




3.03xv. Population vaccination coverage - Flu (at risk individuals)




3.04. People presenting with HIV at a late stage of infection




3.05i. Treatment completion for TB



3.05ii. Treatment completion for TB - TB incidence



Key England average and confidence interval ↑ Stockport ■ Other local authorities in North West











Health protection**3.06. Public sector organisations with a board approved sustainable development management plan**

Key ■ England average and confidence interval ↑ Stockport ■ Other local authorities in North West

Stockport

Healthcare public health and preventing premature mortality

Indicators for tracking progress against reducing numbers of people living with preventable ill health and people dying prematurely.


4.03. Mortality rate from causes considered preventable (provisional)**4.04i. Under 75 mortality rate from cardiovascular diseases (provisional)****4.04ii. Under 75 mortality rate from cardiovascular diseases considered preventable (provisional)****4.05i. Under 75 mortality rate from cancer (provisional)****4.05ii. Under 75 mortality rate from cancer considered preventable (provisional)****4.06i. Under 75 mortality rate from liver disease (provisional)****4.06ii. Under 75 mortality rate from liver disease considered preventable (provisional)****4.07i. Under 75 mortality rate from respiratory disease (provisional)****4.07ii. Under 75 mortality rate from respiratory disease considered preventable (provisional)****4.08. Mortality rate from communicable diseases (provisional)**

Key ■ England average and confidence interval ↑ Stockport ■ Other local authorities in North West


Healthcare public health and preventing premature mortality

Indicators for tracking progress against reducing numbers of people living with preventable ill health and people dying prematurely.


4.10. Suicide rate (provisional)




4.11. Emergency readmissions within 30 days of discharge from hospital (persons)




4.11. Emergency readmissions within 30 days of discharge from hospital (males)




4.11. Emergency readmissions within 30 days of discharge from hospital (females)




4.12i. Preventable sight loss - Age related macular degeneration (AMD)




4.12ii. Preventable sight loss - Glaucoma




4.12iii. Preventable sight loss - Diabetic eye disease




4.12iv. Preventable sight loss - Sight loss certifications



4.14i. Hip fractures in people aged 65 and over



4.14ii. Hip fractures in people aged 65 and over - Aged 65-79




Key ■ England average and confidence interval ↑ Stockport ■ Other local authorities in North West

Stockport

Healthcare public health and preventing premature mortality

Indicators for tracking progress against reducing numbers of people living with preventable ill health and people dying prematurely.

4.14iii. Hip fractures in people aged 65 and over - Aged 80+




Inequalities

The Public Health Outcomes Framework focuses the whole system on achieving positive health outcomes for the population and reducing inequalities in health. The majority of indicators in this framework have the potential to impact on inequalities and we aspire to make it possible for all indicators to be disaggregated by equalities characteristics and by socioeconomic analysis wherever possible in order to support work locally to reduce in-area health inequalities where these persist. However, in this first publication, as well as breaking down some of the local authority level indicators by gender or age, we are also presenting data by equalities characteristics for a small number of indicators at national level only. These indicators are presented in this section.


1.03 - Pupil absence - by gender England 2010/11

		Value	LCI	UCI
England	—	5.79	5.78	5.81
Male	●	5.75	5.72	5.77
Female	●	5.84	5.82	5.87




1.03 - Pupil absence - by ethnicity England 2010/11

		Value	LCI	UCI
England	—	5.79	5.78	5.81
White	●	5.84	5.82	5.86
Mixed	●	6.17	6.08	6.27
Asian	●	5.92	5.86	5.99
Black	●	4.54	4.46	4.61
Chinese	●	3.36	3.13	3.60
Other	●	5.88	5.72	6.03



1.03 - Pupil absence - by deprivation England 2010/11

		Value	LCI	UCI
England	—	5.79	5.78	5.81
Decile 1 (least deprived)	●	4.23	4.17	4.28
Decile 2	●	4.54	4.48	4.59
Decile 3	●	4.84	4.78	4.90
Decile 4	●	5.09	5.03	5.15
Decile 5	●	5.43	5.37	5.49
Decile 6	●	5.78	5.72	5.84
Decile 7	●	6.16	6.10	6.22
Decile 8	●	6.48	6.42	6.54
Decile 9	●	6.83	6.77	6.89
Decile 10 (most deprived)	●	6.98	6.92	7.03




Key: ● Significantly lower ● Similar ● Significantly higher


Stockport

1.06i - Percentage of all adults with learning disabilities who are known to the council, who are recorded as living in their own home or with their family - by gender England 2010/11


	Value	LCI	UCI
England	59.00	-	-
Male	58.20	-	-
Female	60.00	-	-

**2.06i - Percentage of children aged 4-5 classified as overweight or obese - by ethnicity England 2010/11**

	Value	LCI	UCI
England	22.60	22.50	22.70
White British	22.50	22.30	22.60
White Irish	23.80	21.80	25.90
Any Other White Background	23.10	22.60	23.60
White and Black Caribbean	25.50	24.40	26.70
White and Black African	26.90	25.30	28.50
White and Asian	16.90	15.90	18.00
Any Other Mixed Background	22.00	21.10	23.00
Indian	16.40	15.80	17.10
Pakistani	20.60	20.10	21.20
Bangladeshi	22.00	21.10	22.90
Any Other Asian Background	20.10	19.20	21.00
Black Caribbean	26.80	25.70	28.00
Black African	31.50	30.80	32.30
Any Other Black Background	29.30	28.00	30.50
Chinese	18.50	16.70	20.40
Any Other Ethnic Group	24.90	24.00	25.80
Not stated / Invalid	22.30	22.00	22.60

**2.06i - Percentage of children aged 4-5 classified as overweight or obese - by deprivation England 2010/11**


	Value	LCI	UCI
England	22.60	22.50	22.70
Decile 1 (least deprived)	18.20	17.90	18.50
Decile 2	19.50	19.20	19.90
Decile 3	20.20	19.90	20.60
Decile 4	21.10	20.80	21.50
Decile 5	21.90	21.50	22.30
Decile 6	22.80	22.50	23.20
Decile 7	23.70	23.40	24.10
Decile 8	24.20	23.80	24.50
Decile 9	25.40	25.10	25.70
Decile 10 (most deprived)	25.90	25.60	26.20




Key: ● Significantly lower ● Similar ● Significantly higher

2.06ii - Percentage of children aged 10-11 classified as overweight or obese - by ethnicity England 2010/11


	Value	LCI	UCI
England	33.40	33.30	33.50
White British	32.00	31.80	32.20
White Irish	31.80	29.50	34.20
Any Other White Background	35.20	34.60	35.90
White and Black Caribbean	38.40	37.10	39.80
White and Black African	39.90	37.70	42.20
White and Asian	30.60	29.10	32.20
Any Other Mixed Background	35.30	34.00	36.60
Indian	34.50	33.60	35.40
Pakistani	37.90	37.20	38.70
Bangladeshi	39.70	38.60	40.90
Any Other Asian Background	37.30	36.10	38.60
Black Caribbean	42.20	41.00	43.50
Black African	43.50	42.60	44.40
Any Other Black Background	42.20	40.70	43.80
Chinese	29.80	27.50	32.20
Any Other Ethnic Group	39.80	38.70	40.90
Not stated / Invalid	32.60	32.30	32.90

**2.06ii - Percentage of children aged 10-11 classified as overweight or obese - by deprivation England 2010/11**

	Value	LCI	UCI
England	33.40	33.30	33.50
Decile 1 (least deprived)	26.10	25.70	26.50
Decile 2	29.00	28.60	29.40
Decile 3	30.30	29.90	30.70
Decile 4	31.10	30.70	31.60
Decile 5	32.60	32.20	33.00
Decile 6	33.90	33.40	34.30
Decile 7	35.40	35.00	35.80
Decile 8	36.70	36.20	37.10
Decile 9	38.30	37.90	38.70
Decile 10 (most deprived)	38.10	37.80	38.50

**3.02 - Chlamydia diagnosis (15-24 year olds) - by gender England 2010**

	Value	LCI	UCI
England	2,220	2,209	2,232
Males	1,504	1,491	1,517
Females	2,965	2,947	2,984



Key: ● Significantly lower ● Similar ● Significantly higher